

Title (en)

Process for the preparation of a solid carbon-containing material having a sorption capacity for metal ions.

Title (de)

Verfahren zur Herstellung eines festen kohlenstoffhaltigen Materials mit Sorptionsvermögen für Metallionen.

Title (fr)

Procédé de préparation d'une matière solide contenant du carbone ayant un pouvoir de sorption pour des ions métalliques.

Publication

EP 0000214 A1 19790110 (EN)

Application

EP 78200033 A 19780609

Priority

NL 7706879 A 19770622

Abstract (en)

Process for the preparation of a solid carbon-containing material having a sorption capacity for metal ions. <??>The invention concerns a process of preparing solid metal sorbents from cheap carbonaceous material, like rubber waste, peat, coal or petroleum coke. The material is first mixed with sulphur and heated at 120-500 DEG C and then subjected to a treatment with an aqueous alkali solution. <??>Optionally and prior to the latter treatment a moderate oxidizing step is included. The resulting solid product is an excellent metal sorbent for effluent treatment and the like.

IPC 1-7

C01B 31/12; B01D 15/00; C02C 5/02

IPC 8 full level

B01J 20/20 (2006.01); **C01B 31/08** (2006.01); **C01B 31/12** (2006.01); **C02F 1/28** (2006.01)

CPC (source: EP US)

C01B 32/33 (2017.07 - EP US); **C01B 32/342** (2017.07 - EP US); **C02F 1/283** (2013.01 - EP US)

Citation (search report)

- FR 2253815 A1 19750704 - MARUZEN OIL CO LTD [JP]
- DE 2320886 A1 19731108 - IDEMITSU KOSAN CO
- US 2829115 A 19580401 - BUSHONG RAYMOND M, et al
- FR 587359 A 19250417 - CHEMISCHE PRODUKTION M B H GES
- [A] FR 1089139 A 19550315 - STAMICARBON
- [A] FR 849046 A 19391113

Cited by

FR2630099A1; DE3901006A1; EP0545503A1; DE3715526A1; DE3229396A1; EP0102467A3; US6593271B1; WO0078449A1

Designated contracting state (EPC)

BE DE FR GB NL

DOCDB simple family (publication)

EP 0000214 A1 19790110; EP 0000214 B1 19810128; DE 2860365 D1 19810319; JP S5410296 A 19790125; NL 7706879 A 19781228; US 4203868 A 19800520

DOCDB simple family (application)

EP 78200033 A 19780609; DE 2860365 T 19780609; JP 7531178 A 19780621; NL 7706879 A 19770622; US 91524278 A 19780613