

Title (en)

LOW-VOLATILITY, CURABLE, UNSATURATED POLYESTER RESINS WITH GOOD LAMINATION PROPERTIES

Publication

EP 0000941 B1 19800723 (DE)

Application

EP 78100727 A 19780823

Priority

DE 2738805 A 19770829

Abstract (en)

[origin: EP0000941A1] 1. Curable unsaturated polyester resins containing a) at least one ethylenically unsaturated copolymerizable polyester, b) at least one ethylenically unsaturated copolymerizable monomeric compound c) waxy materials, with or without d) conventional components and auxiliaires, wherein the polyester resins contain, as waxy materials, a paraffin mixture consisting of 0.01 to 0.5 per cent by weight of at least one paraffin with a melting point of between 25 degrees C and 50 degrees C and 0.01 to 0.5 per cent by weight of a paraffin with a melting point of between 51 degrees C and 100 degrees C, the percentages referring to the total weight of components a) and b).

IPC 1-7

C08L 67/06; **C08K 5/00**

IPC 8 full level

C08G 63/54 (2006.01); **C08G 63/676** (2006.01); **C08K 5/00** (2006.01); **C08L 67/06** (2006.01); **C09D 167/06** (2006.01)

CPC (source: EP)

C08G 63/54 (2013.01); **C08G 63/676** (2013.01); **C08L 67/06** (2013.01); **C09D 167/06** (2013.01)

Citation (examination)

- GB 1007449 A 19651013 - BRITISH TITAN PRODUCTS
- DE 2948334 A1 19800619 - DU PONT
- DE 2223524 C2 19870102
- DE 1592956 A1 19710211 - DU PONT

Cited by

EP0422455A3; US5132343A; EP0473531A3; FR2475562A1; US5380775A; US5412010A; US5340856A; US5286554A; US5378743A; WO9311193A1

Designated contracting state (EPC)

DE FR GB NL SE

DOCDB simple family (publication)

EP 0000941 A1 19790307; **EP 0000941 B1 19800723**; DE 2738805 A1 19790308; DE 2860076 D1 19801113; DK 378278 A 19790301; NO 782921 L 19790301

DOCDB simple family (application)

EP 78100727 A 19780823; DE 2738805 A 19770829; DE 2860076 T 19780823; DK 378278 A 19780828; NO 782921 A 19780828