

Title (en)
PROCESS AND APPARATUS FOR PRESSURE CASTING FUSIBLE METALS

Publication
EP 0033901 B1 19831221 (DE)

Application
EP 81100594 A 19810128

Priority
CH 82680 A 19800201

Abstract (en)
[origin: EP0033901A1] The die-cast pieces are cast in a mold shell (4, 5) of a metallic material having a high heat conductivity. A refrigerating chamber (8) is connected to the shell. A refrigerating agent cools down the shell to the temperature of withdrawing from the mold. The refrigerating agent can be preheated and compressed to a pressure greater than the air pressure and during the cooling it can be vaporized. In order to obtain the greatest freedom in the choice of the solidification direction, the melted metal is supplied from a cavity avoiding a heating of the mold and the thinwalled shell of the mold is heated by the metal at a temperature close to the temperature of withdrawing from the mold. In the cooling phase during the filling of the mold, the vaporization of the liquid refrigerating agent takes place on the outer walls of the thin-walled shell.

IPC 1-7
B22D 27/04; **B22D 15/00**; **B22D 17/22**

IPC 8 full level
B22C 9/06 (2006.01); **B22D 17/00** (2006.01); **B22D 17/22** (2006.01)

CPC (source: EP)
B22D 17/00 (2013.01); **B22D 17/2218** (2013.01)

Citation (examination)

- US 3858641 A 19750107 - KIRBY JR RUSSELL B, et al
- FR 1278679 A 19611215
- FR 2289314 A1 19760528 - MONTEDISON SPA [IT]
- NL 6603844 A 19670925
- GB 2005168 A 19790419 - TOSHIBA MACHINE CO LTD
- FR 2329011 A1 19770520 - VIHORLAT NP [CS]
- FR 2266562 A1 19751031 - KILLION LEONARD [US]

Cited by
DE102015118901A1; EP0275177A3; DE3502895A1; FR2559079A1; WO2017076399A1

Designated contracting state (EPC)
BE DE FR GB IT

DOCDB simple family (publication)
EP 0033901 A1 19810819; **EP 0033901 B1 19831221**; CH 646355 A5 19841130; DE 3161668 D1 19840126; ES 508852 A0 19830201; ES 8302499 A1 19830201; JP S57500055 A 19820114; WO 8102124 A1 19810806

DOCDB simple family (application)
EP 81100594 A 19810128; CH 8100007 W 19810123; CH 82680 A 19800201; DE 3161668 T 19810128; ES 508852 A 19820119; JP 50038881 A 19810123