

Title (en)

Low interstitial, corrosion resistant, weldable ferritic stainless steel and process for the manufacture thereof.

Title (de)

Ferritischer, rostfreier, korrosionsbeständiger, schweisssbarer Stahl mit geringem Gehalt an Zwischengittersubstanzen und Verfahren zu seiner Herstellung.

Title (fr)

Acier inoxydable ferritique, à basse teneur en éléments interstitiels, soudable et résistant à la corrosion, et procédé pour sa fabrication.

Publication

**EP 0057316 A1 19820811 (EN)**

Application

**EP 81305667 A 19811202**

Priority

US 22556681 A 19810116

Abstract (en)

A low interstitial, corrosion resistant, weldable ferritic stainless steel has an addition of between 0.05 and 0.50% by weight columbium and/or titanium to give the steel improved toughness when the maximum achievable cooling rate is limited. The steel consists of the following composition by weight percent: between 25.0 and 35% chromium, between 3.6 and 5.6% molybdenum, between 0.05 and 0.50% of columbium and/or titanium, less than 3.0% nickel, less than 2.0% manganese, less than 2.0% silicon, less than 0.5% aluminium, less than 0.5% copper, less than 0.050% phosphorous, less than 0.050% sulfur, less than 0.01% carbon, less than 0.02% nitrogen, the carbon plus nitrogen content being less than 0.025%, and the balance iron. A process is also disclosed which comprises air-cooling a steel having the above composition from the annealing temperature before cold rolling.

IPC 1-7

**C22C 38/22**; **C22C 38/26**; **C22C 38/28**

IPC 8 full level

**C22C 38/00** (2006.01); **C22C 38/08** (2006.01); **C22C 38/22** (2006.01); **C22C 38/26** (2006.01); **C22C 38/28** (2006.01)

CPC (source: EP)

**C22C 38/22** (2013.01); **C22C 38/26** (2013.01); **C22C 38/28** (2013.01)

Citation (search report)

- SU 515825 A1 19760530
- FR 2377457 A1 19780811 - THYSSEN EDELSTAHLWERKE AG [DE]
- FR 2158943 A5 19730615 - DEUTSCHE EDELSTAHLWERKE AG
- FR 2180117 A1 19731123 - NYBY BRUK AB [SE]
- US 2183715 A 19391219 - RUSSELL FRANKS

Cited by

US5942184A; GB2193726A; GB2193726B; EP0388283A1; FR2644478A1; US5230752A; WO9010723A1

Designated contracting state (EPC)

AT BE CH DE FR GB IT LU NL SE

DOCDB simple family (publication)

**EP 0057316 A1 19820811**; **EP 0057316 B1 19850403**; AT E12527 T1 19850415; AU 7829481 A 19820722; BR 8200150 A 19821103; CA 1184403 A 19850326; DE 3169748 D1 19850509; ES 508364 A0 19830316; ES 8305049 A1 19830316; JP S57137455 A 19820825; KR 830007871 A 19831107; KR 880001356 B1 19880728; MX 156238 A 19880727

DOCDB simple family (application)

**EP 81305667 A 19811202**; AT 81305667 T 19811202; AU 7829481 A 19811204; BR 8200150 A 19820113; CA 391706 A 19811208; DE 3169748 T 19811202; ES 508364 A 19811228; JP 532482 A 19820116; KR 810004803 A 19811209; MX 19098182 A 19820114