

Title (en)

A MULTI-STEP STEELMAKING REFINING METHOD

Publication

**EP 0061749 B1 19860226 (EN)**

Application

**EP 82102580 A 19820326**

Priority

- JP 4702381 A 19810330
- JP 8933181 A 19810610
- JP 8933381 A 19810610

Abstract (en)

[origin: EP0061749A1] A multi-step steel-making refining method consisting in decarburization of molten pig iron, which has been desiliconized and dephosphorized, carried out in a reaction vessel (1) by means of an oxygen top-blowing method, and blowing of a stirring fluid beneath the level of the molten pig iron within the reaction vessel (1) during the decarburization treatment at a stirring power of not less than 400 watts per ton of the molten pig iron.

IPC 1-7

**C21C 7/072**; **C21C 1/00**; **C21C 5/00**; **C21C 5/56**

IPC 8 full level

**B22D 1/00** (2006.01); **C21C 1/00** (2006.01); **C21C 5/28** (2006.01); **C21C 5/56** (2006.01); **C21C 1/04** (2006.01)

CPC (source: EP)

**B22D 1/005** (2013.01); **C21C 1/00** (2013.01); **C21C 5/285** (2013.01); **C21C 5/567** (2013.01); **C21C 1/04** (2013.01)

Cited by

EP0589366A1; DE3507785A1; FR2527634A1; FR2558482A1; EP0166646A1; FR2566427A1; DE3316367A1; EP0124890A1

Designated contracting state (EPC)

BE DE FR GB

DOCDB simple family (publication)

**EP 0061749 A1 19821006**; **EP 0061749 B1 19860226**; AU 532932 B2 19831020; AU 8184882 A 19821104; DE 3269285 D1 19860403

DOCDB simple family (application)

**EP 82102580 A 19820326**; AU 8184882 A 19820324; DE 3269285 T 19820326