

Title (en)

METHODS FOR PRODUCTION OF COPOLYMERS WITH INCREASED WATER-RESISTANCE AND UTILIZATION THEREOF

Publication

EP 0062106 B1 19860723 (DE)

Application

EP 81109068 A 19811028

Priority

DE 3111602 A 19810324

Abstract (en)

[origin: US4397968A] A process for the production of an aqueous dispersion stabilized by a water-soluble polyvinyl alcohol and based on copolymers that comprise at least 60% by weight of monomer units selected from the group consisting of esters of acrylic acid, esters of methacrylic acid, styrene, and substituted styrene and mixtures thereof, consisting essentially of subjecting a stabilized dispersion of a monomer mixture containing at least 60% by weight of monomers selected from the group consisting of esters of acrylic acid, esters of methacrylic acid, styrene, substituted styrene and mixtures thereof, said dispersion being an aqueous dispersion stabilized by a water-soluble polyvinyl alcohol, to polymerization at a temperature in excess of 60 DEG C. in the presence of a free-radical-forming catalyst selected from the group consisting of (a) organic catalysts soluble in the monomers and also being at least partially water-soluble, optionally in combination with water-soluble reducing agents and (b) peroxosulfur catalysts, in such a manner that, during the entire duration of the reaction, said monomer mixture is supplied at such a rate by metering in the monomer mixture in the form of a previously obtained emulsion, that the monomer concentration is maintained at less than 20% by weight, based on the total weight of the reaction mixture, and recovering said stabilized dispersion; as well as the aqueous dispersion produced by the process, the use of the aqueous dispersions as a binder in dispersion dyes and adhesives, the said binder having increased resistance against hydrolysis on drying due to the special manufacturing process.

IPC 1-7

C08F 220/18; C08F 212/08; C08F 2/20; C09D 5/02; C09J 3/14

IPC 8 full level

C08F 2/20 (2006.01); **C08F 2/22** (2006.01); **C08F 2/44** (2006.01); **C08F 12/08** (2006.01); **C08F 20/12** (2006.01); **C08F 212/08** (2006.01);
C08F 220/18 (2006.01); **C08L 29/00** (2006.01); **C08L 29/04** (2006.01); **C08L 33/00** (2006.01); **C08L 33/02** (2006.01); **C08L 33/04** (2006.01);
C09D 5/02 (2006.01)

CPC (source: EP US)

C08F 2/24 (2013.01 - EP); **C08F 12/08** (2013.01 - EP US); **C08F 20/12** (2013.01 - EP US)

Cited by

EP0538571A1; EP0671420A3; EP1500689A1; EP0723975A1; EP1110979A1; EP0266850A3; US8859684B2; US6441082B1; WO2020007467A1;
WO2014146921A1; US7776938B2; US6429251B2; US6653372B1; DE102012220776A1; WO2014076154A1; US6300403B1; US6291573B1;
US6590022B1; WO2020007466A1; EP0718314B1; WO9928360A1; EP0873978B2

Designated contracting state (EPC)

CH DE FR GB IT LI

DOCDB simple family (publication)

EP 0062106 A1 19821013; EP 0062106 B1 19860723; DE 3111602 A1 19821007; DE 3174987 D1 19860828; JP S57158252 A 19820930;
US 4397968 A 19830809

DOCDB simple family (application)

EP 81109068 A 19811028; DE 3111602 A 19810324; DE 3174987 T 19811028; JP 12787481 A 19810817; US 32735181 A 19811204