

Title (en)
PRESSURE-FIXABLE TONER

Publication
EP 0067663 B1 19851002 (EN)

Application
EP 82302991 A 19820609

Priority
JP 8817581 A 19810610

Abstract (en)
[origin: EP0067663A1] A pressure-fixable toner, suitable for use in developing electrostatic latent images in electrophotography, comprises a pigment and a binder medium comprising, based on the total weight of the binder medium, 20 to 50% by weight of a wax having a penetration of less than 5,7 to 24% by weight of a styrene type resin or hydrogenated styrene resin and 37 to 73% by weight of a tough thermoplastic resin containing an amide or ester group at a concentration of 50 to 1200 milliequivalents per 100 g of the resin. The toner can take the form of a pressure-fixable one-component type magnetic developer comprising 40 to 300 parts by weight of a finely divided magnetic material as the pigment per 100 parts of binder medium.

IPC 1-7
G03G 9/14; **G03G 9/08**; **G03G 13/09**; **G03G 13/08**

IPC 8 full level
G03G 9/08 (2006.01); **G03G 9/083** (2006.01); **G03G 9/087** (2006.01); **G03G 9/09** (2006.01)

CPC (source: EP)
G03G 9/083 (2013.01); **G03G 9/08706** (2013.01); **G03G 9/08724** (2013.01); **G03G 9/08755** (2013.01); **G03G 9/08766** (2013.01);
G03G 9/08782 (2013.01); **G03G 9/09** (2013.01)

Cited by
US5496879A

Designated contracting state (EPC)
CH DE FR GB LI NL

DOCDB simple family (publication)
EP 0067663 A1 19821222; **EP 0067663 B1 19851002**; DE 3266660 D1 19851107; JP H0261742 B2 19901220; JP S57204060 A 19821214

DOCDB simple family (application)
EP 82302991 A 19820609; DE 3266660 T 19820609; JP 8817581 A 19810610