

Title (en)

PROCESS FOR PREPARING MOISTURE-CURABLE ORGANOPOLYSILOXANE COMPOSITIONS BY CONDENSING ORGANOSILICEN COMPOUNDS HAVING SILICON-BOUND HYDROXYL GROUPS, ALKOXY-SILYLATED CROSS-LINKING AGENTS AND A SUBSTITUTED HYDROXYL AMINE; COMPOSITIONS AND THEIR USE IN OBTAINING CURED MATERIALS

Publication

EP 0070786 B1 19870128 (FR)

Application

EP 82420081 A 19820622

Priority

FR 8112780 A 19810626

Abstract (en)

[origin: EP0070786A1] 1. Process for preparing organosilicon compositions capable of being converted into materials which are set on being exposed to moisture and in the presence of substituted hydroxylamine, which is used as catalyst, characterized in that, in order to prepare single-component compositions which are stable in storage, the following are reacted : 1) at least one alpha, omega-dihydroxypolysiloxane, 2) at least one monomeric crosslinking agent containing polyalkoxysilylated groups which is chosen from the class consisting of : a) the polyalkoxysilanes of formulae : $R_x Si(OR')^{4-x} R_x Si[(OCH_2 -CH_2)_a OR']^{4-x}$ in which the radicals R, which are identical or different, denote nonhydrolysable hydrocarbon radicals, X denotes an integer equal to 1 or 2, a denotes 0 or 1 and R' denotes an alkyl radical containing from 1 to 4 carbon atoms, b) the silicates of formula : $Si(OR')_4$ in which R' has the same meaning as above, 3) from 0.1 to 2% by weight, based on the total weight of the composition, of a substituted hydroxylamine as a crosslinking catalyst, the said crosslinking agent (2) being in such quantity that there are from 1 to 5 polyalkoxylated groups per silanol group, 4) a setting accelerator chosen from tin derivatives and/or titanium derivatives.

IPC 1-7

C08G 77/08; **C08L 83/04**; **C08G 77/18**

IPC 8 full level

C08L 83/06 (2006.01); **C08G 77/00** (2006.01); **C08G 77/08** (2006.01); **C08G 77/18** (2006.01); **C08G 77/38** (2006.01); **C08K 5/17** (2006.01); **C08K 5/32** (2006.01); **C08L 83/00** (2006.01); **C08L 83/04** (2006.01)

CPC (source: EP)

C08G 77/08 (2013.01); **C08G 77/18** (2013.01); **C08K 5/32** (2013.01)

Cited by

EP0380875A3; EP0382338A3; FR2773165A1; EP1288252A3; EP0210402A3; US4705826A; US5728794A; EP1022302A3; US5310844A; EP0449747A1; FR2658828A1; US5087684A; US6455617B1; US7211330B2; WO9933911A1; WO03002634A3

Designated contracting state (EPC)

BE DE GB NL

DOCDB simple family (publication)

EP 0070786 A1 19830126; **EP 0070786 B1 19870128**; DE 3275300 D1 19870305; FR 2508467 A1 19821231; FR 2508467 B1 19831104; JP S5832658 A 19830225; JP S6049650 B2 19851102

DOCDB simple family (application)

EP 82420081 A 19820622; DE 3275300 T 19820622; FR 8112780 A 19810626; JP 10857382 A 19820625