

Title (en)

Method of plying and drawing spun yarns.

Title (de)

Verfahren zum Zwirnen und Verstrecken von Spinnfäden.

Title (fr)

Procédé pour retordre et étirer des fils extrudés.

Publication

EP 0071206 A2 19830209 (DE)

Application

EP 82106671 A 19820723

Priority

DE 3130097 A 19810730

Abstract (en)

High-twist, low-shrinkage and non-snarly yarns or threads are produced by imparting high twist to partially oriented filaments having a yield stress of above 7.5 cN/tex and then subjecting them to a subsequent drawing at room temperature of preferably 5 to 20 %.

Abstract (de)

Die Erfindung betrifft ein Verfahren zum Herstellen hochgedrehter, schrumpfarmer und drallberuhigter Garne oder Zirne bei dem vororientierte, eine Fließspannung von über 7,5 cN/tex aufweisende Fäden hochgedreht und anschließend bei Raumtemperatur einer Nachverstreckung von vorzugsweise 5 bis 20 % unterworfen werden.

IPC 1-7

D02G 3/28; **D01H 1/00**

IPC 8 full level

D01H 13/08 (2006.01); **D02G 3/28** (2006.01)

CPC (source: EP)

D02G 3/283 (2013.01)

Designated contracting state (EPC)

CH DE FR GB IT LI NL

DOCDB simple family (publication)

EP 0071206 A2 19830209; **EP 0071206 A3 19851127**; JP S5823919 A 19830212

DOCDB simple family (application)

EP 82106671 A 19820723; JP 13131782 A 19820729