

Title (en)

Non-oriented electrical steel sheet having a low watt loss and a high magnetic flux density and a process for producing the same.

Title (de)

Nicht-kornorientiertes Elektroblech mit niedrigen Wattverlusten und hoher Magnetflussdichte und Verfahren zu seiner Herstellung.

Title (fr)

Tôle magnétique non-orientée à pertes de watt peu élevées et présentant une densité de flux magnétique élevée, ainsi que procédé pour sa fabrication.

Publication

EP 0084980 A2 19830803 (EN)

Application

EP 83300393 A 19830126

Priority

- JP 939883 A 19830125
- JP 1021182 A 19820127

Abstract (en)

In the production of non-oriented electrical steel sheets, it has been attempted to decrease the watt loss, e.g. by adding Sn into silicon steels, but in such a case the relationship between the watt loss and magnetic flux density falls within the curves 1 and 1 min in Fig. 1. The addition of boron is therefore unsatisfactory for meeting the recent demands, for improving the magnetic properties of a non-oriented electrical steel sheet over those indicated by the curve 3. In the present invention, the combined addition Sn with B and/or sol. Al results in development of (110) and (100) textures which are desirable for the magnetic properties. A non-oriented electrical steel sheet according to the present invention, contains 0.015% of C at the highest, from 0.3 to 2.0% of Si, from 0.005 to 0.10% of sol. Al, from 0.02% to 0.20% of Sn, 0.007% of N at the highest, and 0.005% of B at the highest, the weight ratio of B content/N content being from 0.5 to 1.5, said non-oriented electrical sheet being produced by a process comprising an annealing of a hot-rolled steel strip. Instead of B, an appreciable amount of sol. Al may be contained in said sheet, when Mn content is from more than 1.0% to 1.5%.

IPC 1-7

C22C 38/02; **C21D 8/12**; **H01F 1/16**

IPC 8 full level

C21D 8/12 (2006.01); **C22C 38/02** (2006.01); **H01F 1/147** (2006.01); **H01F 1/16** (2006.01)

CPC (source: EP)

C21D 8/1261 (2013.01); **C22C 38/02** (2013.01); **H01F 1/14775** (2013.01)

Cited by

EP0418424A1; FR2643386A1; DE4005807A1; FR2643387A1; EP0511601A1; US5186763A; KR100345706B1; WO9308313A1

Designated contracting state (EPC)

AT BE DE FR GB IT

DOCDB simple family (publication)

EP 0084980 A2 19830803; **EP 0084980 A3 19830914**; **EP 0084980 B1 19860108**; AT E17376 T1 19860115; AU 1076583 A 19830804; AU 4568185 A 19851107; AU 551071 B2 19860417; DE 3361738 D1 19860220

DOCDB simple family (application)

EP 83300393 A 19830126; AT 83300393 T 19830126; AU 1076583 A 19830126; AU 4568185 A 19850731; DE 3361738 T 19830126