

Title (en)

HIGHLY LATEX-CHARGED PAPER WEB, PROCESS FOR ITS MANUFACTURE AND ITS APPLICATIONS, IN PARTICULAR AS A SUBSTITUTE FOR IMPREGNATED GLASS FIBRE MATS

Publication

**EP 0100720 B1 19861230 (FR)**

Application

**EP 83401528 A 19830726**

Priority

- FR 8213391 A 19820730
- FR 8218624 A 19821105

Abstract (en)

[origin: ES8504296A1] PREPARATION METHOD OF A FIBROUS LEAF WITH A HIGH PERCENTAGE OF LATEX. A WEIGHT RATIO BETWEEN 45 AND 140 PARTS OF FIBROUS MIXTURE PER 100 PARTS OF LATEX IS USED. THE FIBROUS MIXTURE IS COMPOSED, BY WEIGHT, OF 30 TO 90 PARTS OF CELLULOSE FIBERS AND BETWEEN 15 AND 50 PARTS OF NON-CELLULOSIC FIBERS, PREFERABLY FIBERS OF GLASS, ROCK WOOL, POLYESTER FIBER AND THE LIKE. CONTRIBUTIONS ARE PERFORMED SEQUENTIALLY: FIBROUS MIXTURE, FIRST CONTRIBUTION OF FLOCULANT, LATEX, SECOND AND THIRD CONTRIBUTION OF FLOCULANT. THE SHEET OBTAINED IS SUBMITTED TO SATIN FINISH, SPRAYING IMPREGNATION, GLUE PRESSING AND OTHER TREATMENTS REQUIRED. IT IS APPLIED AS A SUBSTITUTE PRODUCT FOR IMPREGNATED GLASS FABRICS FOR FLOOR COATINGS. (Machine-translation by Google Translate, not legally binding)

IPC 1-7

**D21H 3/02; D06N 7/00**

IPC 8 full level

**D21H 13/40** (2006.01); **D21H 17/37** (2006.01); **D21H 17/43** (2006.01); **D21H 17/45** (2006.01)

CPC (source: EP US)

**D21H 13/40** (2013.01 - EP US); **D21H 17/37** (2013.01 - EP US); **D21H 17/43** (2013.01 - EP US); **D21H 17/455** (2013.01 - EP US); **Y10T 428/31895** (2015.04 - EP US)

Cited by

WO9402678A1

Designated contracting state (EPC)

AT BE CH DE FR GB IT LI LU NL SE

DOCDB simple family (publication)

**EP 0100720 A1 19840215; EP 0100720 B1 19861230**; BR 8304014 A 19840307; CA 1216710 A 19870120; DE 3368705 D1 19870205; DK 336683 A 19840131; DK 336683 D0 19830722; ES 524611 A0 19850416; ES 8504296 A1 19850416; FI 76393 B 19880630; FI 76393 C 19881010; FI 832748 A0 19830729; FI 832748 A 19840131; GR 78635 B 19840927; PT 77128 A 19830801; PT 77128 B 19860128; US 4612251 A 19860916

DOCDB simple family (application)

**EP 83401528 A 19830726**; BR 8304014 A 19830727; CA 433222 A 19830726; DE 3368705 T 19830726; DK 336683 A 19830722; ES 524611 A 19830729; FI 832748 A 19830729; GR 830172008 A 19830722; PT 7712883 A 19830729; US 51343283 A 19830713