

Title (en)  
RECOMPRESSION PROCESS.

Title (de)  
NACHVERDICHTUNGSVERFAHREN.

Title (fr)  
PROCEDE DE RECOMPRESSION.

Publication  
**EP 0118480 A1 19840919 (DE)**

Application  
**EP 83902690 A 19830901**

Priority  
CH 525882 A 19820903

Abstract (en)  
[origin: WO8400982A1] Anodized metal surfaces are cold pressed while they are treated at a temperature lower than 30°C in a still wet state with an aqueous solution containing nickel salt and at least one fluoride. The solution may contain further additives for example a preservating agent, optionally dissolved in a solubilization agent such as alcohols.

Abstract (fr)  
Des surfaces métalliques oxydées anodiquement sont comprimées à froid, pendant qu'elles sont traitées à une température inférieure à 30°C dans un état encore mouillé avec une solution aqueuse contenant au moins un sel de nickel et au moins un fluorure. La solution peut contenir d'autres additifs, par exemple un agent conservateur, le cas échéant dissous dans un agent de solubilisation comme des alcools.

IPC 1-7  
**C25D 11/24**

IPC 8 full level  
**C25D 11/24** (2006.01)

CPC (source: EP US)  
**C25D 11/246** (2013.01 - EP US)

Cited by  
DE102007005073A1

Designated contracting state (EPC)  
AT BE CH DE FR GB LI LU NL SE

DOCDB simple family (publication)  
**WO 8400982 A1 19840315**; DE 3374791 D1 19880114; EP 0118480 A1 19840919; EP 0118480 B1 19871202; US 4648911 A 19870310

DOCDB simple family (application)  
**CH 8300100 W 19830901**; DE 3374791 T 19830901; EP 83902690 A 19830901; US 61099684 A 19840501