

Title (en)

PROCESS FOR BLEACHING RAW PAPER MATERIALS

Publication

EP 0120132 B1 19861105 (DE)

Application

EP 83112505 A 19831213

Priority

DE 3309956 A 19830319

Abstract (en)

[origin: EP0120132A1] 1. A process for the bleaching of raw paper materials with formamidine sulphonic acid at a temperature of from 50 to 130 degrees C, a pulp density of from 2 to 20 % by weight and a residence time of from 1 to 120 minutes in an alkaline aqueous sludge, characterized in that the pH lies between 9.7 and 12 at the beginning of the bleaching reaction and between 7 and < 9 after termination.

IPC 1-7

D21C 9/10; D21B 1/16; D21C 5/02

IPC 8 full level

D21B 1/16 (2006.01); **D21C 5/02** (2006.01); **D21C 9/10** (2006.01)

CPC (source: EP)

D21C 9/1084 (2013.01)

Cited by

EP0379858A3; EP0360993A3; US10974348B2; US12017305B2

Designated contracting state (EPC)

AT BE CH DE FR GB IT LI NL SE

DOCDB simple family (publication)

EP 0120132 A1 19841003; EP 0120132 B1 19861105; AT E23376 T1 19861115; DE 3309956 C1 19840712; DE 3367421 D1 19861211

DOCDB simple family (application)

EP 83112505 A 19831213; AT 83112505 T 19831213; DE 3309956 A 19830319; DE 3367421 T 19831213