

Title (en)

A process for producing corrosion inhibiting particles.

Title (de)

Verfahren zur Herstellung von korrosionsinhibierenden Teilchen.

Title (fr)

Procédé pour fabriquer des particules inhibitrices de corrosion.

Publication

EP 0168215 A2 19860115 (EN)

Application

EP 85304764 A 19850704

Priority

GB 8417525 A 19840710

Abstract (en)

A process for producing corrosion inhibiting particles comprising binding corrosion inhibiting anions to particles of an inorganic oxide by ion-exchange to form anion-exchanged particles, the anions of which are releasable by further ion-exchange in which the inorganic oxide particles having surface hydroxyl groups are first contacted with an acidic solution containing labile anions at a pH sufficiency below 7 for the protons of the hydroxyl groups to be replaced by the labile anions and thereafter contacting the particles of the labile anion-exchanged inorganic oxide with a solution containing the required corrosion inhibiting anions so that the labile anions are replaced by the corrosion inhibiting anions. The labile anions are anions of water soluble, acid compounds which have a lower affinity for the oxide surface than the required corrosion inhibiting anions and which form a soluble salt with the cation of the compound providing the corrosion inhibiting anions. The process facilitates the use of corrosion inhibiting anions which are sensitive to low pH in the preparation of corrosion inhibiting particles. In particular the process is useful for producing molybdate exchange inorganic oxide particles.

IPC 1-7

C09D 5/08; **C23F 11/00**

IPC 8 full level

B01J 41/10 (2006.01); **C09C 1/00** (2006.01); **C09C 1/24** (2006.01); **C09C 1/30** (2006.01); **C09C 1/40** (2006.01); **C09C 3/00** (2006.01); **C09C 3/06** (2006.01); **C09C 3/08** (2006.01); **C09C 3/10** (2006.01); **C09D 5/08** (2006.01); **C23F 11/00** (2006.01); **C23F 11/18** (2006.01)

CPC (source: EP US)

C09C 1/00 (2013.01 - EP US); **C09C 1/24** (2013.01 - EP US); **C09C 1/3045** (2013.01 - EP US); **C09C 1/3063** (2013.01 - EP US); **C09C 1/40** (2013.01 - EP US); **C09C 1/407** (2013.01 - EP US); **C09C 3/06** (2013.01 - EP US); **C09C 3/08** (2013.01 - EP US); **C09D 5/084** (2013.01 - EP US); **C23F 11/18** (2013.01 - EP US); **C01P 2004/60** (2013.01 - EP US); **C01P 2006/12** (2013.01 - EP US)

Cited by

EP0696624A3; EP0259748A3; EP0493263A1; FR2671068A1; AT515756A3; AT515756B1; BE1027163B1; EP1415630A2

Designated contracting state (EPC)

AT BE CH DE FR GB IT LI NL SE

DOCDB simple family (publication)

EP 0168215 A2 19860115; **EP 0168215 A3 19861203**; **EP 0168215 B1 19891025**; AT E47599 T1 19891115; AU 4444285 A 19860116; AU 569799 B2 19880218; BR 8503288 A 19860401; CA 1257468 A 19890718; DE 3573925 D1 19891130; DK 315985 A 19860111; DK 315985 D0 19850710; ES 545040 A0 19860101; ES 8603963 A1 19860101; GB 8417525 D0 19840815; GR 851689 B 19851126; IE 56771 B1 19911204; IE 851721 L 19860110; JP S6153363 A 19860317; NO 852671 L 19860113; NZ 212656 A 19880229; US 4594369 A 19860610; ZA 854962 B 19870225

DOCDB simple family (application)

EP 85304764 A 19850704; AT 85304764 T 19850704; AU 4444285 A 19850701; BR 8503288 A 19850709; CA 486260 A 19850703; DE 3573925 T 19850704; DK 315985 A 19850710; ES 545040 A 19850710; GB 8417525 A 19840710; GR 850101689 A 19850708; IE 172185 A 19850709; JP 14937485 A 19850709; NO 852671 A 19850703; NZ 21265685 A 19850705; US 74975185 A 19850628; ZA 854962 A 19850701