

Title (en)

PROCESS FOR MANUFACTURING HOT-ROLLED MARTENSITIC STAINLESS STEEL RODS OR ROD WIRE, AND PRODUCTS OBTAINED

Publication

EP 0170598 B1 19900103 (FR)

Application

EP 85420123 A 19850703

Priority

FR 8411050 A 19840704

Abstract (en)

[origin: US4594115A] A process for the manufacture of martensitic stainless steel rods or machine wire, and the products thus obtained, by hot rolling, which steel comprises by % weight: C=0.015 to 0.090 N=0.015 to 0.080 with C+N=0.05 to 0.120 Cr=9.0 to 14.0 Nb= \leq 0.1 V= \leq 0.1 S= \leq 0.35 Si= \leq 1.0 Mn= \leq 1.0 Ni= \leq 2.0 Mo= \leq 1.0 P= \leq 0.040 Cu= \leq 1.0 Fe and impurities=balance and having the following mechanical properties: R=900 to 1100 MPa; E 0.2=650 to 850 MPa; A \geq 10%; and resilience KCU \geq 40 J/cm², and wherein the preheating or the end of the hot rough preliminary processing preceding the final hot rolling brings the products to a temperature between 1000 DEG C. and 1160 DEG , and wherein the final hot rolling which is effected at a temperature below or equal to 1150 DEG C. produces a section reduction "S/s" which is at least equal to 3, and which reduction is followed by homogenous cooling and when S \leq 0.08% the rods or machine wire have the following mechanical properties: R=900 to 1100 MPa; E 0.2=650 to 850 MPa; A=12 to 16%; resilience KCU=80 to 140 J/cm², and the rods or machine wire of the invention are particularly used for the manufacture of corrosion resistant mechanisms.

IPC 1-7

C21D 7/13; C21D 8/06; C22C 38/18

IPC 8 full level

C22C 38/00 (2006.01); **C21D 7/13** (2006.01); **C21D 8/06** (2006.01); **C22C 38/18** (2006.01)

CPC (source: EP US)

C21D 7/13 (2013.01 - EP US); **C21D 8/065** (2013.01 - EP US); **C22C 38/18** (2013.01 - EP US)

Cited by

EP1233080A1; US6488813B2; EP0508574A1; EP0945520A1; CN110809632A; CN102676941A; RU2724767C2; US6893608B2; US11001916B2; US11478873B2; WO2017182896A1; WO2019002924A1; KR100500263B1

Designated contracting state (EPC)

AT BE CH DE FR GB IT LI LU NL SE

DOCDB simple family (publication)

EP 0170598 A1 19860205; EP 0170598 B1 19900103; AT E49238 T1 19900115; CA 1254062 A 19890516; FR 2567151 A1 19860110; FR 2567151 B1 19861121; JP S6119734 A 19860128; US 4594115 A 19860610

DOCDB simple family (application)

EP 85420123 A 19850703; AT 85420123 T 19850703; CA 485855 A 19850628; FR 8411050 A 19840704; JP 14442885 A 19850701; US 75019085 A 19850701