

Title (en)

PROCESS FOR BULK POLYMERIZING BUTADIENE

Publication

EP 0236253 B1 19911218 (EN)

Application

EP 87630020 A 19870210

Priority

- US 83081486 A 19860219
- US 92336886 A 19861027

Abstract (en)

[origin: EP0236253A1] High cis-1,4-polybutadiene is a synthetic rubber that is commonly utilized in manufacturing tires. It is usually made commercially by employing solution polymerization techniques. However, it has been unexpectedly found that 1,3-butadiene can be polymerized into high cis-1,4-polybutadiene in a continuous bulk polymerization process while attaining very high conversions. This continuous bulk polymerization process comprises: (1) charging into a reaction zone the 1,3-butadiene; a catalyst system comprising (a) an organoaluminum compound, (b) a soluble nickel containing compound, and (c) a fluorine containing compound; (2) allowing the 1,3-butadiene to polymerize into high cis-1,4-polybutadiene to a conversion of at least about 60 percent while utilizing conditions under which there is sufficient evaporative cooling in said reaction zone to maintain a temperature within the range of 10 DEG C to 130 DEG C; and (3) continuously withdrawing said high cis-1,4-polybutadiene from said reaction zone. In order to reduce the molecular weight of the high cis-1,4-polybutadiene, the polymerizations of this invention are generally conducted in the presence of at least one molecular weight regulator selected from the group consisting of alpha -olefins, cis-2-butene, trans-2-butene, allene, 1,4-pentadiene, 1,5-hexadiene, 1,6-heptadiene, 1,2,4-trivinylcyclohexene, 4-vinyl-1-cyclohexene, 1-trans-4-hexadiene, and hydrogen.

IPC 1-7

C08F 2/02; C08F 4/70; C08F 136/06

IPC 8 full level

C08F 2/02 (2006.01); **C08F 2/38** (2006.01); **C08F 2/42** (2006.01); **C08F 4/00** (2006.01); **C08F 4/60** (2006.01); **C08F 4/70** (2006.01);
C08F 10/08 (2006.01); **C08F 36/06** (2006.01); **C08F 136/06** (2006.01)

CPC (source: EP KR)

C08F 2/02 (2013.01 - KR); **C08F 136/06** (2013.01 - EP)

C-Set (source: EP)

1. **C08F 136/06 + C08F 4/7098**
2. **C08F 136/06 + C08F 2/02**

Cited by

CN112029023A; US8987395B2; US9546227B2; WO2016123319A1; US10774162B2; US10316121B2; WO2023129959A1; EP3250616B1

Designated contracting state (EPC)

AT CH DE ES GR LI LU NL SE

DOCDB simple family (publication)

EP 0236253 A1 19870909; EP 0236253 B1 19911218; AR 246284 A1 19940729; AT E70543 T1 19920115; AU 595291 B2 19900329;
AU 6902087 A 19870820; BE 1000085 A3 19880202; CA 1284545 C 19910528; CN 1043999 C 19990707; CN 87101920 A 19871209;
CS 107387 A3 19920415; CS 276986 B6 19921118; DE 3703672 A1 19870827; DE 3775239 D1 19920130; EG 18373 A 19921030;
ES 2027317 T3 19920601; FR 2594440 A1 19870821; FR 2594440 B1 19881202; GB 2186880 A 19870826; GB 2186880 B 19900314;
GB 8703758 D0 19870325; GR 3003408 T3 19930217; IL 81575 A0 19870916; IL 81575 A 19900726; IN 173082 B 19940205;
IT 1206249 B 19890414; IT 8747657 A0 19870218; JP 2628993 B2 19970709; JP S62201906 A 19870905; KR 870007948 A 19870923;
KR 940002884 B1 19940406; MX 168583 B 19930601; MY 101047 A 19910716; NL 8700380 A 19870916; NO 168654 B 19911209;
NO 168654 C 19920318; NO 870649 D0 19870218; NO 870649 L 19870820; NZ 219244 A 19890224; SG 100791 G 19920117;
TR 22686 A 19880303; YU 23587 A 19880430; YU 44799 B 19910228

DOCDB simple family (application)

EP 87630020 A 19870210; AR 30678587 A 19870219; AT 87630020 T 19870210; AU 6902087 A 19870218; BE 8700141 A 19870218;
CA 529978 A 19870218; CN 87101920 A 19870219; CS 107387 A 19870218; DE 3703672 A 19870206; DE 3775239 T 19870210;
EG 8687 A 19870217; ES 87630020 T 19870210; FR 8702167 A 19870219; GB 8703758 A 19870218; GR 910401995 T 19911219;
IL 8157587 A 19870215; IN 77DE1987 A 19870130; IT 4765787 A 19870218; JP 3684087 A 19870219; KR 870001372 A 19870219;
MX 523287 A 19870213; MY PI19870087 A 19870204; NL 8700380 A 19870216; NO 870649 A 19870218; NZ 21924487 A 19870211;
SG 100791 A 19911129; TR 552787 A 19870216; YU 23587 A 19870218