

Title (en)

PRESSURIZED GAS CYLINDER MADE FROM AN AUSTENITIC STEEL ALLOY

Publication

**EP 0243663 B1 19920506 (DE)**

Application

**EP 87104162 A 19870320**

Priority

DE 3614290 A 19860426

Abstract (en)

[origin: US4772337A] A compress gas container is made from Austenite steel alloy and is later strengthened or stabilized by cryo-deformation. The Austenite steel alloy is a metastable CrNi steel with a combined titanium and niobium content no greater than 0.02% by weight and a carbon content no greater than 0.045% by weight. With the nickel content up to 9.5% by weight, the carbon content is between 0.03% to 0.045%; and with the nickel content between 9.5% and 10%, the carbon content is below 0.03%.

IPC 1-7

**B21D 51/24; C25F 3/24**

IPC 8 full level

**C21D 8/10** (2006.01); **B21D 51/24** (2006.01); **C22C 38/00** (2006.01); **C22C 38/40** (2006.01); **C22C 38/44** (2006.01); **C22C 38/50** (2006.01);  
**C25F 3/24** (2006.01); **F17C 1/00** (2006.01); **F17C 1/02** (2006.01)

CPC (source: EP US)

**C22C 38/40** (2013.01 - EP US); **C22C 38/44** (2013.01 - EP US); **F17C 1/00** (2013.01 - EP US); **F17C 2201/0109** (2013.01 - EP US);  
**F17C 2201/058** (2013.01 - EP US); **F17C 2203/0629** (2013.01 - EP US); **F17C 2203/0643** (2013.01 - EP US); **F17C 2203/0648** (2013.01 - EP US);  
**F17C 2205/0323** (2013.01 - EP US); **F17C 2205/0329** (2013.01 - EP US); **F17C 2205/0394** (2013.01 - EP US);  
**F17C 2209/2172** (2013.01 - EP US); **F17C 2221/011** (2013.01 - EP US); **F17C 2223/0123** (2013.01 - EP US); **F17C 2223/036** (2013.01 - EP US);  
**F17C 2260/011** (2013.01 - EP US); **F17C 2260/012** (2013.01 - EP US); **F17C 2260/053** (2013.01 - EP US); **F17C 2270/0781** (2013.01 - EP US)

Cited by

DE102011105426A1; EP0840054A3; DE102011105426B4; WO2012175499A3; WO2012175498A1; EP2865612A1; US10287090B2

Designated contracting state (EPC)

AT CH FR GB LI NL

DOCDB simple family (publication)

**EP 0243663 A2 19871104; EP 0243663 A3 19881130; EP 0243663 B1 19920506**; AT E75641 T1 19920515; DE 3614290 A1 19871029;  
DE 3614290 C2 19880519; JP S62278249 A 19871203; US 4772337 A 19880920

DOCDB simple family (application)

**EP 87104162 A 19870320**; AT 87104162 T 19870320; DE 3614290 A 19860426; JP 10019387 A 19870424; US 3701887 A 19870410