

Title (en)

Method for preparing ethylene polymers.

Title (de)

Verfahren zur Herstellung von Äthylenpolymeren.

Title (fr)

Procédé de préparation de polymères de l'éthylène.

Publication

EP 0272553 A2 19880629 (EN)

Application

EP 87118332 A 19871210

Priority

JP 29246286 A 19861210

Abstract (en)

A method of preparing ethylene polymers which comprises polymerizing ethylene, or ethylene and one or more alpha -olefins other than ethylene in the presence of a composite catalyst which catalyst comprises: (A) a solid composition prepared by depositing one or more chromium compounds and one or more metal compounds other than said chromium compounds onto an inorganic oxide support material and then calcining the resulting solid; and (B) one or more organometallic compounds that are each independently represented by the following general formula: $MR_{<1>a}R_{<2>b}R_{<3>c}$ wherein M is a metal of Group I, II or III of the periodic table and the $R_{<1>}$, $R_{<2>}$ and $R_{<3>}$ moieties are each independently hydrogen, a hydrocarbon radical of C1-C14, or an alkoxy group of C1-C14, excluding the case that all moieties are hydrogen; and, a, b and c are each independently a real number of not less than zero with the proviso that the sum of numbers a, b and c is equal to the formal valence of metal M. t

IPC 1-7

C08F 4/62; **C08F 10/00**

IPC 8 full level

C08F 4/60 (2006.01); **C08F 4/62** (2006.01); **C08F 4/64** (2006.01); **C08F 4/69** (2006.01); **C08F 10/00** (2006.01); **C08F 10/02** (2006.01)

CPC (source: EP US)

C08F 10/02 (2013.01 - EP US)

Cited by

US5166279A; EP0457236A3; EP0364636A1; US7705097B2; WO2005123792A1; WO0047640A1

Designated contracting state (EPC)

BE CH DE FR GB IT LI NL SE

DOCDB simple family (publication)

EP 0272553 A2 19880629; **EP 0272553 A3 19901010**; **EP 0272553 B1 19930505**; DE 3785733 D1 19930609; DE 3785733 T2 19931202; JP H0725826 B2 19950322; JP S63145306 A 19880617; US 5010151 A 19910423

DOCDB simple family (application)

EP 87118332 A 19871210; DE 3785733 T 19871210; JP 29246286 A 19861210; US 58119690 A 19900911