

Title (en)
PROCESS FOR THE TREATMENT OF FINELY DIVIDED STEEL WASTE MATERIAL

Publication
EP 0275816 B1 19920304 (DE)

Application
EP 87730164 A 19871211

Priority
DE 3644348 A 19861219

Abstract (en)
[origin: EP0275816A1] Steel wastes in the form of chips and/or grinding dusts are treated by cold compaction to form pressed bodies. To allow easy and inexpensive recovery, the wet steel wastes are compacted without pretreatment with application of a pressing force of between 200 and 400 N/mm² to give the pressed bodies, which reach a density of at least 2.5 g/cm³ at a green strength of at least 300 N/mm², their residual moisture content being reduced to less than 10% by weight by the compaction. <IMAGE>

IPC 1-7
C22B 1/248

IPC 8 full level
C22B 1/248 (2006.01)

CPC (source: EP)
C22B 1/248 (2013.01)

Cited by
EP0773300A1

Designated contracting state (EPC)
AT BE CH DE FR LI NL

DOCDB simple family (publication)
EP 0275816 A1 19880727; EP 0275816 B1 19920304; AT E73170 T1 19920315; DE 3777144 D1 19920409

DOCDB simple family (application)
EP 87730164 A 19871211; AT 87730164 T 19871211; DE 3777144 T 19871211