

Title (en)

Process for producing shaped products of a polyarylene thioether.

Title (de)

Verfahren zur Herstellung von Formkörpern aus Polyarylenthoäther.

Title (fr)

Procédé pour la préparation de produits façonnés à partir de polyarylène thioéther.

Publication

EP 0280385 B1 19931208 (EN)

Application

EP 88300267 A 19880113

Priority

JP 4094987 A 19870224

Abstract (en)

[origin: EP0280385A2] The invention provides a process for preparing a shaped product which is heat-resistant and has a high elongation at break, which process comprises (1) curing a substantially linear polyarylene thioether having a melt viscosity of 100 to 1500 Pas to form a resin having a melt viscosity of 500 to 1600 Pas and a non-Newtonian coefficient, n, of 1.5 to 2.1, (3) melt extruding the resin, (4) taking off the extruded resin at a ratio R1 of take-off speed to extrusion speed of 10 to 1,000 and (5) crystallizing the taken-off resin until its crystallization degree becomes not lower than 20 wt%.

IPC 1-7

C08G 75/02; H01B 3/30; C08J 3/24

IPC 8 full level

B29C 47/00 (2006.01); **C08G 75/02** (2006.01); **C08G 75/0213** (2016.01); **C08G 75/0231** (2016.01); **C08G 75/0254** (2016.01); **C08G 75/0277** (2016.01); **C08G 75/0295** (2016.01); **C08J 3/24** (2006.01); **C08J 5/00** (2006.01); **C08J 5/18** (2006.01); **H01B 3/30** (2006.01); **B29K 81/00** (2006.01)

CPC (source: EP KR US)

B29C 41/10 (2013.01 - KR); **B29C 45/14426** (2013.01 - KR); **B29C 48/022** (2019.01 - KR); **C08G 75/0213** (2013.01 - US); **C08G 75/0231** (2013.01 - US); **C08G 75/0254** (2013.01 - EP US); **C08G 75/0277** (2013.01 - EP KR US); **C08G 75/0295** (2013.01 - EP US); **C08J 3/24** (2013.01 - EP KR US); **C08L 81/02** (2013.01 - KR); **H01B 3/301** (2013.01 - EP US); **C08J 2381/02** (2013.01 - EP US); **Y10T 428/31533** (2015.04 - EP US); **Y10T 428/31678** (2015.04 - EP US)

Cited by

EP0418455A3; EP0960967A1; EP0765895A3

Designated contracting state (EPC)

AT BE CH DE ES FR GB GR IT LI LU NL SE

DOCDB simple family (publication)

EP 0280385 A2 19880831; **EP 0280385 A3 19890823**; **EP 0280385 B1 19931208**; AT E98276 T1 19931215; AU 1007988 A 19880825; AU 588495 B2 19890914; CA 1318760 C 19930608; DE 3886068 D1 19940120; DE 3886068 T2 19940414; ES 2047023 T3 19940216; JP H0623259 B2 19940330; JP S63207827 A 19880829; KR 880010028 A 19881006; KR 910003717 B1 19910608; US 4921758 A 19900501

DOCDB simple family (application)

EP 88300267 A 19880113; AT 88300267 T 19880113; AU 1007988 A 19880106; CA 556278 A 19880112; DE 3886068 T 19880113; ES 88300267 T 19880113; JP 4094987 A 19870224; KR 880000408 A 19880120; US 14099788 A 19880105