

Title (en)

Process for preparation of rubber laminates.

Title (de)

Verfahren zur Herstellung von Kautschuklaminaten.

Title (fr)

Procédé pour préparer des stratifiés de caoutchouc.

Publication

EP 0286076 B1 19940105 (EN)

Application

EP 88105518 A 19880407

Priority

- JP 8821887 A 19870410
- JP 15498287 A 19870622

Abstract (en)

[origin: EP0286076A2] Disclosed is a process for the preparation of rubber laminates. According to this process, a rubber laminate having a high bonding strength can be obtained by contacting an uncured composition A comprising a fluororubber and a metal oxide with an uncured composition B comprising a nitrile group-containing polymer rubber and a phosphonium salt represented by the following general formula: <CHEM> wherein R1, R2, R3 and R4 each stand for a hydrocarbon residue having 1 to 20 carbon atoms, which may be substituted, with the proviso that up to three of R1, R2, R3 and R4 may be a primary, secondary or tertiary amino group or a fluoroalkyl group, and R5 stands for a hydrogen atom or an alkyl group having 1 to 20 carbon atoms, and curing the uncured compositions.

IPC 1-7

B32B 25/00; **C08L 27/12**; **C08L 9/02**; **C08K 5/50**; **C08K 5/34**

IPC 8 full level

B32B 25/00 (2006.01); **C08K 3/22** (2006.01); **C08K 5/50** (2006.01)

CPC (source: EP US)

B32B 1/08 (2013.01 - US); **B32B 25/00** (2013.01 - EP US); **B32B 25/042** (2013.01 - US); **B32B 25/14** (2013.01 - US); **C08K 3/22** (2013.01 - EP US); **C08K 5/50** (2013.01 - EP US); **B32B 2038/0076** (2013.01 - US); **Y10T 428/3154** (2015.04 - EP US); **Y10T 428/31544** (2015.04 - EP US)

Cited by

EP0545368A1; EP1788034A3; DE10320224A1; US5626930A; US5512225A; WO03093246A1; WO03039858A1; WO9723556A1

Designated contracting state (EPC)

DE FR IT

DOCDB simple family (publication)

EP 0286076 A2 19881012; **EP 0286076 A3 19910116**; **EP 0286076 B1 19940105**; DE 3886800 D1 19940217; DE 3886800 T2 19940707; US 4828923 A 19890509

DOCDB simple family (application)

EP 88105518 A 19880407; DE 3886800 T 19880407; US 17839488 A 19880406