

Title (en)
PROCESS FOR DEMINERALIZING A SUGAR-CONTAINING SOLUTION

Publication
EP 0292662 B1 19930414 (EN)

Application
EP 88104190 A 19880316

Priority
US 3284787 A 19870331

Abstract (en)
[origin: EP0292662A2] Improved method for demineralizing a sugar-containing solution using an ion exchange resin in bead form wherein the mean bead diameter is from 400 to 700 μm and the bead diameter distribution is such that at least 80 volume percent of the beads have diameters which fall within a range of ± 15 percent of the volume average diameter of the resin used.

IPC 1-7
C13K 11/00

IPC 8 full level
B01J 39/04 (2006.01); **B01J 41/04** (2006.01); **C13B 20/14** (2011.01); **C13K 11/00** (2006.01)

CPC (source: EP KR)
C13B 20/14 (2013.01 - EP KR); **C13K 11/00** (2013.01 - EP)

Cited by
WO0185339A3

Designated contracting state (EPC)
BE DE ES FR GB GR IT NL

DOCDB simple family (publication)
EP 0292662 A2 19881130; EP 0292662 A3 19910116; EP 0292662 B1 19930414; AR 244809 A1 19931130; AU 1351488 A 19880929; AU 600806 B2 19900823; BR 8801520 A 19881108; CA 1321193 C 19930810; DE 3880196 D1 19930519; DE 3880196 T2 19930805; ES 2039490 T3 19931001; JP 2575171 B2 19970122; JP S63263099 A 19881031; KR 880011347 A 19881028; KR 960000480 B1 19960108

DOCDB simple family (application)
EP 88104190 A 19880316; AR 31043488 A 19880329; AU 1351488 A 19880323; BR 8801520 A 19880330; CA 562301 A 19880324; DE 3880196 T 19880316; ES 88104190 T 19880316; JP 7793388 A 19880330; KR 880003474 A 19880330