

Title (en)

METHOD FOR SPRAY-WORKING REFRACTORY COMPOSITION.

Title (de)

VERFAHREN ZUR SPRITZVERARBEITUNG VON FEUERFESTEN STOFFEN.

Title (fr)

PROCEDE D'APPLICATION D'UNE COMPOSITION REFRACTAIRE PAR PULVERISATION.

Publication

**EP 0301092 A4 19890427 (EN)**

Application

**EP 87901629 A 19870213**

Priority

JP 8700094 W 19870213

Abstract (en)

[origin: EP0301092A1] A refractory compsn. is spray-worked by adding one-fifth to three-quarters of the amt. of water required for spray-working, and loading the mixt. into a dry spraying gun, introducing the rest of the water in the spray nozzle of the gun when spraying. The refractory compsn. contains 93-60% (by wt.) refractory substrate (e.g. fireclay, bauxite, alumina, sillimanite, mullite, silicon carbide, zircon, magnesia or chromite); 5-30% refractory powder (e.g. fireclay, kaolin, silica, alumina, zircon, magnesia or silicon carbide, pref. with grain size below 50 micron); 1-20% alumina cement (pref. a water-hardenable high-alumina cement conforming to JIS alumina cement 1 or 2); 0.01-0.5% dispersant (e.g. alkali metal phosphate or polyphosphate, pref. sodium hexametaphosphate or sodium ultrapolyphosphate) and 0.01-2% curing promoter (e.g. calcium hydroxide, sodium silicate or sodium aluminate).

IPC 1-7

**F27D 1/16**

IPC 8 full level

**F27D 1/16** (2006.01)

CPC (source: EP KR US)

**C04B 35/103** (2013.01 - EP US); **C04B 35/18** (2013.01 - EP US); **C04B 35/6263** (2013.01 - EP US); **C04B 35/6303** (2013.01 - EP US); **C04B 35/66** (2013.01 - EP US); **F27D 1/16** (2013.01 - KR); **F27D 1/1642** (2013.01 - EP US); **C04B 2235/3217** (2013.01 - EP US); **C04B 2235/3418** (2013.01 - EP US); **C04B 2235/349** (2013.01 - EP US); **C04B 2235/3826** (2013.01 - EP US); **C04B 2235/402** (2013.01 - EP US); **C04B 2235/77** (2013.01 - EP US)

Citation (search report)

See references of WO 8806263A1

Cited by

EP1777476A4; EP0742416A1; US5766689A; US6486238B1

Designated contracting state (EPC)

AT DE FR GB

DOCDB simple family (publication)

**EP 0301092 A1 19890201**; **EP 0301092 A4 19890427**; **EP 0301092 B1 19920826**; AT E79945 T1 19920915; DE 301092 T1 19890914; DE 3781409 D1 19921001; DE 3781409 T2 19930318; KR 890700795 A 19890427; KR 920006586 B1 19920810; US 4981731 A 19910101; WO 8806263 A1 19880825

DOCDB simple family (application)

**EP 87901629 A 19870213**; AT 87901629 T 19870213; DE 3781409 T 19870213; DE 87901629 T 19870213; JP 8700094 W 19870213; KR 880701273 A 19881013; US 27517788 A 19881012