

Title (en)

PROCESS FOR THE PREPARATION OF POLYURETHANE FOAMS

Publication

EP 0301302 A3 19891018 (DE)

Application

EP 88111081 A 19880712

Priority

DE 3724716 A 19870725

Abstract (en)

[origin: US4837244A] A method for the preparation of rigid polyurethane and/or polyisocyanurate foams is disclosed. The foams are prepared from a mixture comprising at least difunctional polyisocyanates, compounds with at least two hydrogen atoms that are capable of reacting with isocyanates, the equivalent weight of which per reactive hydrogen atom is about 50 to 900, catalysts, blowing agents and foam stabilizers, devoid of silicon atoms, as well as, optionally, conventional additives such as flame retardants and chain extenders. The foam stabilizer is a polyoxyalkylene ether of an alkylphenol-aldehyde condensation product, the alkyl group(s) of the alkylphenol having 1 to 22 carbon atoms, the aldehyde having 1 to 18 carbon atoms, the condensation product comprising on the average 4 to 18 alkylphenol groups, the oxyalkylene units having 2 to 4 carbon atoms and the content of oxyalkylene groups being 15 to 85% by weight, based on the total weight.

IPC 1-7

C08J 9/00; C08G 18/14

IPC 8 full level

C08G 18/00 (2006.01); **C08J 9/00** (2006.01)

CPC (source: EP US)

C08J 9/0061 (2013.01 - EP US); **C08J 2375/04** (2013.01 - EP US); **C08J 2461/04** (2013.01 - EP); **C08J 2471/00** (2013.01 - EP US)

Citation (search report)

- [A] DE 1694248 A1 19710603 - BAYER AG
- [A] US 4163830 A 19790807 - DAHM MANFRED [DE], et al
- [A] FR 2328740 A1 19770520 - NOBEL HOECHST CHIMIE [FR]
- [A] EP 0078975 A1 19830518 - HOECHST AG [DE]
- [A] CHEMICAL ABSTRACT

Cited by

EP1510543A3; AU696306B2; CN1077902C; EP0564259A3; TR28386A; WO9516721A1

Designated contracting state (EPC)

BE DE FR GB IT NL

DOCDB simple family (publication)

DE 3724716 C1 19880601; DE 3876028 D1 19921224; EP 0301302 A2 19890201; EP 0301302 A3 19891018; EP 0301302 B1 19921119; US 4837244 A 19890606

DOCDB simple family (application)

DE 3724716 A 19870725; DE 3876028 T 19880712; EP 88111081 A 19880712; US 21742788 A 19880711