

Title (en)

Use of a chromium-containing alloy.

Title (de)

Verwendung einer chromhaltigen Legierung.

Title (fr)

Mise en oeuvre d'un alliage contenant du chrome.

Publication

EP 0317864 A1 19890531 (DE)

Application

EP 88118958 A 19881114

Priority

DE 3739903 A 19871125

Abstract (en)

Alloys containing 35.5-69% by weight of iron, 21-35% by weight of chromium, 10-25% by weight of nickel and 0.4.5% by weight of molybdenum as well as the customary accompanying elements, such as carbon, silicon, manganese, phosphorus, sulphur, copper, cobalt, aluminium, vanadium, titanium, tantalum and/or niobium can be used as materials for articles which are resistant to nitric acid up to a concentration of about 75% in the temperature range from the melting point of the nitric acid to 150°C.

Abstract (de)

Legierungen mit den Massenanteilen 35,5-69 % Eisen, 21 -35 % Chrom, 10 -25 % Nickel und 0 - 4,5 % Molybdän, sowie den üblichen Begleitelementen, wie Kohlenstoff, Silicium, Mangan, Phosphor, Schwefel, Kupfer, Kobalt, Aluminium, Vanadin, Titan, Tantal und/oder Niob, können als Werkstoffe für Gegenstände, die gegen Salpetersäure bis zu einer Konzentration von etwa 75 % im Temperaturbereich vom Schmelzpunkt der Salpetersäure bis zu 150° C beständig sind, verwendet werden.

IPC 1-7

C22C 30/00; C22C 38/40; C22C 38/44

IPC 8 full level

C22C 30/00 (2006.01); **C22C 38/40** (2006.01); **C22C 38/44** (2006.01); **C22C 38/58** (2006.01)

CPC (source: EP)

C22C 30/00 (2013.01); **C22C 38/40** (2013.01); **C22C 38/44** (2013.01); **C22C 38/58** (2013.01)

Citation (search report)

- [X] US 28772 A 18600619
- [Y] US 4405389 A 19830920 - LARSON JOHN A [US]
- [Y] US 3486885 A 19691230 - ARMIJO JOSEPH S
- [Y] GB 1135906 A 19681211 - SANDVIKENS JERNVERKS AB
- [A] US 3129120 A 19640414 - RAYMOND SMITH, et al
- [A] US 3171738 A 19650302 - RENSHAW WILLIAM G, et al
- [A] US 3645725 A 19720229 - DENHARD ELBERT E JR, et al

Designated contracting state (EPC)

BE CH DE FR GB LI NL

DOCDB simple family (publication)

EP 0317864 A1 19890531; EP 0317864 B1 19920304; DE 3739903 A1 19890608; DE 3868869 D1 19920409

DOCDB simple family (application)

EP 88118958 A 19881114; DE 3739903 A 19871125; DE 3868869 T 19881114