

Title (en)
LUBRICANT FOR METAL DEFORMATION

Publication
EP 0334977 B1 19930310 (DE)

Application
EP 88104991 A 19880328

Priority
EP 88104991 A 19880328

Abstract (en)
[origin: EP0334977A1] The invention relates to lubricants for the deformation of metallic materials which are suitable for cold-forming, in particular for drawing elongate formed material, and for hot-forming, in particular for drop-forging. The lubricant for cold-forming contains (A) 0.01 to 15% by mass of alkaline earth metal soaps, (B) 0.05 to 15% by mass of alkali metal borate or ammonium borate, (C) 0 to 14% by mass of alkali metal phosphate or ammonium phosphate, (D) 0 to 10% by mass of polymeric organic compounds and (E) 0.005 to 10% by mass of reaction products of components A to D, which have been formed in aqueous solution at a pH above 6.9 and at temperatures below 95 DEG C, the total of the proportions of components A to E being less than 35% by mass. The lubricant for hot-forming contains, in water, (A) 0.25 to 10% by mass of alkaline earth metal soaps, (B) 0.05 to 3% by mass of alkali metal borate or ammonium borate, (C) 0.05 to 8% by mass of alkali metal phosphate or ammonium phosphate, (D) 0.01 to 2% by mass of polymeric organic compounds and (E) 0.005 to 8% by mass of reaction products of components A to D, which have formed in aqueous solution at a pH above 6.9 and at temperatures below 80 DEG C, the total of the proportion of components A to E being less than 20% by mass. The lubricants are environmentally compatible, stable for a long time, highly effective and cheap.

IPC 1-7
C10M 111/00; **C10M 173/02**; **C10N 40/24**

IPC 8 full level
C10M 111/04 (2006.01); **C10M 173/02** (2006.01)

CPC (source: EP)
C10M 103/06 (2013.01); **C10M 105/24** (2013.01); **C10M 107/24** (2013.01); **C10M 107/36** (2013.01); **C10M 111/04** (2013.01); **C10M 125/24** (2013.01); **C10M 125/26** (2013.01); **C10M 129/40** (2013.01); **C10M 145/04** (2013.01); **C10M 145/40** (2013.01); **C10M 173/02** (2013.01); **C10M 2201/02** (2013.01); **C10M 2201/0603** (2013.01); **C10M 2201/0613** (2013.01); **C10M 2201/0623** (2013.01); **C10M 2201/0653** (2013.01); **C10M 2201/0663** (2013.01); **C10M 2201/0803** (2013.01); **C10M 2201/085** (2013.01); **C10M 2201/0853** (2013.01); **C10M 2201/0863** (2013.01); **C10M 2201/087** (2013.01); **C10M 2201/0873** (2013.01); **C10M 2201/10** (2013.01); **C10M 2201/1006** (2013.01); **C10M 2201/102** (2013.01); **C10M 2201/1023** (2013.01); **C10M 2201/1033** (2013.01); **C10M 2201/105** (2013.01); **C10M 2201/1053** (2013.01); **C10M 2201/123** (2013.01); **C10M 2207/1203** (2013.01); **C10M 2207/1213** (2013.01); **C10M 2207/125** (2013.01); **C10M 2207/1253** (2013.01); **C10M 2207/126** (2013.01); **C10M 2207/129** (2013.01); **C10M 2207/163** (2013.01); **C10M 2207/183** (2013.01); **C10M 2207/203** (2013.01); **C10M 2207/243** (2013.01); **C10M 2209/04** (2013.01); **C10M 2209/043** (2013.01); **C10M 2209/06** (2013.01); **C10M 2209/062** (2013.01); **C10M 2209/104** (2013.01); **C10M 2209/12** (2013.01); **C10M 2209/123** (2013.01); **C10N 2010/00** (2013.01); **C10N 2010/04** (2013.01); **C10N 2040/24** (2013.01); **C10N 2040/241** (2020.05); **C10N 2040/242** (2020.05); **C10N 2040/243** (2020.05); **C10N 2040/244** (2020.05); **C10N 2040/245** (2020.05); **C10N 2040/246** (2020.05); **C10N 2040/247** (2020.05); **C10N 2050/01** (2020.05); **C10N 2050/02** (2013.01)

Cited by
EP2220200A4; EP2937411A1; EP0613939A3; US5460737A; DE102006030113A1; DE102006030113B4; EP2878661A1; US8541350B2; US8940672B2; WO2008000700A3; WO2015162304A1

Designated contracting state (EPC)
AT DE GB NL SE

DOCDB simple family (publication)
EP 0334977 A1 19891004; **EP 0334977 B1 19930310**; AT E86653 T1 19930315; DE 3879181 D1 19930415

DOCDB simple family (application)
EP 88104991 A 19880328; AT 88104991 T 19880328; DE 3879181 T 19880328