

Title (en)

Sintered contact material in low-tension switchgear, particularly for contactors.

Title (de)

Niederspannungsschaltgeräte-Sinterkontaktwerkstoff der Energietechnik, insbesondere für Motorschütze.

Title (fr)

Matériaux de contact fritté dans appareillages interrupteurs à basse tension de la technique de l'énergie, spécialement pour des contacteurs.

Publication

EP 0369282 B1 19950614 (DE)

Application

EP 89120514 A 19891106

Priority

DE 3838951 A 19881117

Abstract (en)

[origin: US4948424A] Sinter contact materials produced from an intraoxidized alloy powder having the constitution AgSnO₂Bi₂O₃CuO have added thereto at least zirconium oxide and optionally additionally bismuth oxide in parts by weight of preferably between 0.1 and 5%. For the production of these materials, zirconium oxide powder and optionally additionally bismuth oxide powder is added to the intraoxidized alloy powder AgSnO₂Bi₂O₃CuO. With such a contact material, the excess temperature behavior in motor contactors is improved.

IPC 1-7

H01H 1/02

IPC 8 full level

C22C 5/06 (2006.01); **C22C 32/00** (2006.01); **H01H 1/02** (2006.01); **H01H 1/023** (2006.01); **H01H 1/0237** (2006.01); **H01H 11/04** (2006.01)

CPC (source: EP US)

C22C 32/0021 (2013.01 - EP US); **H01H 1/02376** (2013.01 - EP US); **B22F 2998/10** (2013.01 - EP US); **H01H 11/048** (2013.01 - EP US)

C-Set (source: EP US)

B22F 2998/10 + B22F 9/082 + C22C 1/1078 + C22C 1/05

Cited by

CN107868880A; EP1142661A3; WO9222080A1; US10290434B2; US10727006B2

Designated contracting state (EPC)

DE FR GB IT SE

DOCDB simple family (publication)

EP 0369282 A2 19900523; EP 0369282 A3 19910313; EP 0369282 B1 19950614; BR 8905829 A 19900612; DE 58909295 D1 19950720;
JP H02185938 A 19900720; US 4948424 A 19900814

DOCDB simple family (application)

EP 89120514 A 19891106; BR 8905829 A 19891117; DE 58909295 T 19891106; JP 29518289 A 19891115; US 43851489 A 19891117