

Title (en)  
MOLD FOR CONTINUOUSLY CASTING STEEL

Publication  
**EP 0383934 B1 19930929 (EN)**

Application  
**EP 89908510 A 19890720**

Priority  
JP 18414588 A 19880722

Abstract (en)  
[origin: WO9000945A1] The invention provides a mold for continuously casting steel, which is made of copper or copper alloy, with the inside surface thereof being provided with a nickel-boron alloy coating containing 0.05 to 1.5 wt.% boron or with both a coating substantially comprising at least one of nickel and cobalt and a nickel-boron alloy coating containing 0.05 to 0.5 wt.% boron.

IPC 1-7  
**B22D 11/04**

IPC 8 full level  
**B22D 11/059** (2006.01)

CPC (source: EP)  
**B22D 11/059** (2013.01)

Cited by  
DE19919777C2; CN104120461A; EA008676B1; GB2318314A; DE4039230A1; DE4039230C2; EP0492264A1; WO9821379A1; US6176298B1

Designated contracting state (EPC)  
GB IT

DOCDB simple family (publication)  
**WO 9000945 A1 19900208**; EP 0383934 A1 19900829; EP 0383934 A4 19910123; EP 0383934 B1 19930929; JP H0459064 B2 19920921

DOCDB simple family (application)  
**JP 8900723 W 19890720**; EP 89908510 A 19890720; JP 50792489 A 19890720