

Title (en)

Curable mixture based on cycloaliphatic epoxy resins

Title (de)

Härtbares Gemisch auf Basis von cycloaliphatischen Epoxidharzen

Title (fr)

Mélange durcissable à base de résines époxydes cycloaliphatiques

Publication

EP 0394192 B1 19960529 (DE)

Application

EP 90810281 A 19900409

Priority

CH 144189 A 19890417

Abstract (en)

[origin: EP0394192A2] Curing of a curable mixture containing (a) from 90 to 50% by weight of a hydrogenated bisphenol A diglycidyl ether, a hydrogenated bisphenol F diglycidyl ether or a mixture thereof, (b) from 50 to 10% by weight of a cycloaliphatic epoxy resin of the formula I, II or III <IMAGE> or a mixture thereof, in which R<1> and R<2>, independently of one another, are each a hydrogen atom or methyl, m is a number from 2 to 6, X is a <IMAGE> , <IMAGE> or <IMAGE> group, R<3> is hydrogen or methyl, and n is an integer from 2 to 4, it being possible for the radical R<3> to have different meanings within the molecule, and the mixture of components (a) and (b) being 100% by weight, (c) a cycloaliphatic polycarboxylic anhydride as curing agent and optionally (d) a curing accelerator, gives moulded materials or coatings having thermomechanically excellent properties and increased resistance to hydrolysis and weathering.

IPC 1-7

C08G 59/24; C08G 59/38; C08G 59/42

IPC 8 full level

C09D 163/00 (2006.01); **C08G 59/00** (2006.01); **C08G 59/04** (2006.01); **C08G 59/20** (2006.01); **C08G 59/24** (2006.01); **C08G 59/38** (2006.01);
C08G 59/42 (2006.01); **C08G 59/68** (2006.01); **C08L 63/00** (2006.01); **H03K 21/08** (2006.01)

CPC (source: EP US)

C08G 59/24 (2013.01 - EP US); **C08G 59/38** (2013.01 - EP US); **C08G 59/4215** (2013.01 - EP US); **C08G 59/686** (2013.01 - EP US)

Cited by

CN1106417C; US6245828B1; WO0056799A1; WO9822521A1

Designated contracting state (EPC)

AT BE CH DE ES FR GB IT LI SE

DOCDB simple family (publication)

EP 0394192 A2 19901024; EP 0394192 A3 19920318; EP 0394192 B1 19960529; AT E138670 T1 19960615; DE 59010345 D1 19960704;
ES 2087900 T3 19960801; FI 901846 A0 19900411; FI 96694 B 19960430; FI 96694 C 19960812; JP H02296820 A 19901207;
US 5106947 A 19920421

DOCDB simple family (application)

EP 90810281 A 19900409; AT 90810281 T 19900409; DE 59010345 T 19900409; ES 90810281 T 19900409; FI 901846 A 19900411;
JP 10152190 A 19900417; US 50640590 A 19900406