

Title (en)

LOW PRESSURE DIE CASTING PROCESS FOR CASTING NON FERROUS METAL CASTING PARTS

Publication

**EP 0413885 B1 19930505 (DE)**

Application

**EP 90101401 A 19900124**

Priority

DE 3924742 A 19890726

Abstract (en)

[origin: EP0413885A1] The invention relates to a low-pressure chill casting process for producing metal castings, e.g. cylinder heads or engine blocks of internal combustion engines or the like, the walls of which are much thinner in some areas than in others. In this process, pressurized gas forces molten metal out of a melting crucible through a rising pipe into a mould. The mould is arranged so that the thicker wall of the casting is cast in the upper part of the mould remote from the gate and the thinner wall is cast in the lower part of the mould near the gate. The molten metal is introduced into the mould cavities that form the thinner wall at or near the lower region of the mould. The molten metal can be introduced into the mould cavities that form the thinner wall of the casting through a base runner at several gates in the lower, gate region of the mould.

IPC 1-7

**B22D 18/04**

IPC 8 full level

**B22D 15/02** (2006.01); **B22D 18/04** (2006.01)

CPC (source: EP KR US)

**B22D 18/04** (2013.01 - EP KR US)

Cited by

FR2684029A1

Designated contracting state (EPC)

AT BE CH DE DK ES FR GB GR IT LI LU NL SE

DOCDB simple family (publication)

**EP 0413885 A1 19910227; EP 0413885 B1 19930505**; AT E88932 T1 19930515; AU 6073990 A 19910311; BR 9007555 A 19920623; CA 2053867 A1 19910127; DD 295570 A5 19911107; DE 3924742 A1 19910131; DE 59001352 D1 19930609; DK 0413885 T3 19930601; ES 2040512 T3 19931016; JP H04506935 A 19921203; KR 920700810 A 19920810; PT 94822 A 19910320; TR 24596 A 19920101; US 5381851 A 19950117; WO 9101832 A1 19910221

DOCDB simple family (application)

**EP 90101401 A 19900124**; AT 90101401 T 19900124; AU 6073990 A 19900725; BR 9007555 A 19900725; CA 2053867 A 19900725; DD 34305990 A 19900725; DE 3924742 A 19890726; DE 59001352 T 19900124; DK 90101401 T 19900124; EP 9001222 W 19900725; ES 90101401 T 19900124; JP 51068590 A 19900725; KR 910701563 A 19911107; PT 9482290 A 19900726; TR 72190 A 19900726; US 76874891 A 19911018