

Title (en)

Process for manufacturing joining structural parts from a fully austenitic Cr-Mn steel.

Title (de)

Verfahren zur Herstellung von Verbindungselementen aus einem vollaustenitischen Cr-Mn-Stahl.

Title (fr)

Procédé de fabrication d'éléments d'assemblage en acier Cr-Mn ayant une structure complètement austénitique.

Publication

EP 0432434 B1 19940921 (DE)

Application

EP 90120990 A 19901102

Priority

DE 3940438 A 19891207

Abstract (en)

[origin: EP0432434A1] The invention relates to the processes for the production of a corrosion-resistant fully austenitic steel containing, in % by weight: max. 0.12% of C 0.20 to 1.00% of Si 17.50 to 20.00% of Mn max. 0.05% of P max. 0.015% of S 17.50 to 20.00% of Cr max. 5.00% of Mo max. 3.00% of Ni 0.80 to 1.20% of N, the remainder being iron and conventional impurities from the smelting process, in which an electrode is produced for electroslag remelting, the nitrogen content of the steel is adjusted in a pressure electroslag remelting process with melting of this electrode for the addition of nitrogen-containing materials, the steel block solidifying under pressure is then drawn out and/or rolled out to an intermediate product of 5 to 150 mm diameter, the intermediate product is then cold-worked with a reduction in total cross-section of at least 60% to give an end product of 0.5 to 90 mm diameter and the end product is then aged at temperatures of 300 to 500 DEG C for 20 minutes to 5 hours.

IPC 1-7

C22C 38/38; C22C 33/02

IPC 8 full level

B22F 3/02 (2006.01); **B22F 3/14** (2006.01); **B22F 3/17** (2006.01); **C21D 8/00** (2006.01); **C22C 30/00** (2006.01); **C22C 33/02** (2006.01);
C22C 33/04 (2006.01); **C22C 38/00** (2006.01); **C22C 38/38** (2006.01); **C22C 38/58** (2006.01)

CPC (source: EP)

C22C 38/001 (2013.01); **C22C 38/38** (2013.01)

Cited by

EP1795619A3; EP1069202A1; EP1538232A1; EP0918099A1; NO340359B1; CN105220067A; CN106834951A; CN106834950A; CN106893936A; CN106893937A; US6331772B1; US6682581B1; US6454879B1; WO9931282A1; US6682582B1; US6383316B1; US7708841B2; US7947136B2; US8454765B2; WO9848070A1

Designated contracting state (EPC)

AT BE CH DE DK ES FR GB IT LI LU NL SE

DOCDB simple family (publication)

EP 0432434 A1 19910619; EP 0432434 B1 19940921; AT E111968 T1 19941015; DE 3940438 C1 19910523; DE 59007249 D1 19941027;
JP H0688160 A 19940329

DOCDB simple family (application)

EP 90120990 A 19901102; AT 90120990 T 19901102; DE 3940438 A 19891207; DE 59007249 T 19901102; JP 41416090 A 19901207