

Title (en)
Method of and installation for producing nonoxidizable half ferritic steel strips from liquid metal

Title (de)
Verfahren und Vorrichtung zur Herstellung eines nichtoxydierbaren halbferretischen Stahlbandes aus flüssigem Metall

Title (fr)
Procédé et dispositif de fabrication d'une bande en acier inoxydable semi-ferritique à partir de métal en fusion

Publication
EP 0471608 B1 19960807 (FR)

Application
EP 91402200 A 19910806

Priority
FR 9010304 A 19900813

Abstract (en)
[origin: EP0471608A1] According to this method, the metal is solidified in a continuous-casting ingot mould consisting of two cooled rolls (2) rotating in opposite directions and arranged opposite each other so as to define a casting space between them, a solidified steel strip (3) is extracted continuously from the ingot mould, and, under the ingot mould, the said strip is subjected to a quenching medium (6) in order to cool it sufficiently rapidly in order to prevent the formation of austenite. This medium may consist of a quenching bath, placed in a container (4) arranged under the rolls (2), and whose bottom is pierced with an opening (5) for the passage of the solidified strip (3). It may also consist of an inert gas in the liquid state sprayed onto the product by nozzles. The steel strips obtained are easier to trim and to coil on exit from the casting line, by virtue of the absence of martensite in the ferritic matrix. <IMAGE>

IPC 1-7
B22D 11/06

IPC 8 full level
B22D 11/00 (2006.01); **B22D 11/06** (2006.01); **B22D 11/124** (2006.01); **C21D 1/56** (2006.01); **C21D 1/607** (2006.01); **C21D 8/02** (2006.01)

CPC (source: EP US)
B22D 11/0622 (2013.01 - EP US); **B22D 11/1241** (2013.01 - EP US); **B22D 11/1245** (2013.01 - EP US); **C21D 1/56** (2013.01 - EP US);
C21D 1/607 (2013.01 - EP US); **C21D 8/0205** (2013.01 - EP US)

Citation (examination)
• 454(2773), 23 octobre 1987; & JP - A - 62112751 (NIPPON STEEL) 23.05.1987
• * EP-A-0352716 *EP-A-0378705 *Stahlschlüssel Wegst, (1983), p. 344;

Cited by
EP0881305A1; FR2763960A1; AU706022B2; US6106638A; CN1078113C; KR100538683B1; US7604039B2; EP1029617B2

Designated contracting state (EPC)
AT BE CH DE DK ES GB GR IT LI LU NL SE

DOCDB simple family (publication)
EP 0471608 A1 19920219; EP 0471608 B1 19960807; AT E141066 T1 19960815; AU 644672 B2 19931216; AU 8242991 A 19920220;
CA 2048769 A1 19920214; DE 69121222 D1 19960912; DE 69121222 T2 19970320; DK 0471608 T3 19961223; ES 2090274 T3 19961016;
FI 913822 A0 19910812; FI 913822 A 19920214; FI 95360 B 19951013; FI 95360 C 19960125; FR 2665652 A1 19920214;
FR 2665652 B1 19941230; GR 3020882 T3 19961130; IE 912856 A1 19920226; JP 2919125 B2 19990712; JP H0623491 A 19940201;
NO 179780 B 19960909; NO 179780 C 19961218; NO 913077 D0 19910808; NO 913077 L 19920214; PT 98623 A 19930831;
TW 198735 B 19930121; US 5201363 A 19930413; ZA 916292 B 19930331

DOCDB simple family (application)
EP 91402200 A 19910806; AT 91402200 T 19910806; AU 8242991 A 19910813; CA 2048769 A 19910808; DE 69121222 T 19910806;
DK 91402200 T 19910806; ES 91402200 T 19910806; FI 913822 A 19910812; FR 9010304 A 19900813; GR 960402241 T 19960828;
IE 285691 A 19910812; JP 22838391 A 19910813; NO 913077 A 19910808; PT 9862391 A 19910809; TW 80109835 A 19911214;
US 74389191 A 19910812; ZA 916292 A 19910809