

Title (en)

Improvements on an extrusion process of zinc-based alloys

Title (de)

Verbessertes Extrudierungsverfahren für Legierungen auf Zink-Basis

Title (fr)

Perfectionnements au procédé d'extrusion pour alliages à base de zinc

Publication

**EP 0508858 B1 19970115 (EN)**

Application

**EP 92400887 A 19920331**

Priority

MX 2515391 A 19910401

Abstract (en)

[origin: EP0508858A1] This process consists of the following steps: 1)- specil Zn-Al-Cu alloys, which comprise in percent amounts between 69-79 Zn, 20-30 Al and 1.0-8 Cu, are pre-heated; 2)- then extruded within a temperature range between 176 DEG C and 275 DEG C, at a speed comprised between 1 and 20 meters per minute; 3)- straightening thereafter the extruded shape, and letting same cool at ambient temperature.  
<IMAGE>

IPC 1-7

**C22F 1/16; C22C 18/04**

IPC 8 full level

**B21C 23/00** (2006.01); **C22C 18/04** (2006.01); **C22F 1/16** (2006.01)

CPC (source: EP)

**C22C 18/04** (2013.01); **C22F 1/165** (2013.01)

Cited by

CN102463271A; GB2289056A; CN109735744A; CN110629057A; CN106636751A; AU2009293243B2; EP0739661A1; US5620537A;  
WO2010033650A1; TWI465303B; US8147585B2; US8591804B2; US9044806B2

Designated contracting state (EPC)

AT BE CH DE DK ES FR GB IT LI NL SE

DOCDB simple family (publication)

**EP 0508858 A1 19921014; EP 0508858 B1 19970115; AT E147800 T1 19970215; DE 69216677 D1 19970227; JP H06234012 A 19940823**

DOCDB simple family (application)

**EP 92400887 A 19920331; AT 92400887 T 19920331; DE 69216677 T 19920331; JP 12252292 A 19920331**