

Title (en)

Method of producing a structured surface on a copper or copper-alloy semi-manufactured product

Title (de)

Verfahren zur Herstellung einer strukturierten Oberfläche auf einem aus Kupfer oder einer Kupferlegierung bestehendem Halbzeug

Title (fr)

Procédé d'obtention d'une surface structurée sur des produits semi-manufacturés de cuivre ou alliage à base de cuivre

Publication

EP 0519310 B1 19961211 (DE)

Application

EP 92109779 A 19920610

Priority

DE 4120387 A 19910620

Abstract (en)

[origin: EP0519310A1] For a wide variety of applications, in particular in the building sector, there is a demand for decorative surfaces which have a colouring which can be individually adjusted and is independent of weathering or treatment with chemical solutions. The method of producing a structured surface according to the invention, preferably on rolled copper strips, provides first of all a mechanical treatment, by which the surface is selectively roughened. In a further method step, the roughened surface then receives a coating, applied by thermal spraying with metal-powder particles. Powder particles of aluminium, copper, nickel and tin as well as powder particles of alloys of these materials, for example of a copper-tin alloy, are suitable as the spray-powder material.

IPC 1-7

B44C 1/04; **B44D 5/10**; **C23C 24/06**

IPC 8 full level

B44C 1/04 (2006.01); **B44D 5/10** (2006.01); **C23C 4/02** (2006.01); **C23C 24/06** (2006.01)

CPC (source: EP)

B44C 1/04 (2013.01); **B44D 5/10** (2013.01); **C23C 4/02** (2013.01)

Cited by

ES2087817A1; EP1679388A4; US7682667B2

Designated contracting state (EPC)

AT BE CH DE DK ES FR GB GR IT LI LU NL PT SE

DOCDB simple family (publication)

EP 0519310 A1 19921223; **EP 0519310 B1 19961211**; AT E146137 T1 19961215; DE 4120387 A1 19921224; DE 59207649 D1 19970123; DK 0519310 T3 19970602; ES 2097240 T3 19970401; GR 3022013 T3 19970331

DOCDB simple family (application)

EP 92109779 A 19920610; AT 92109779 T 19920610; DE 4120387 A 19910620; DE 59207649 T 19920610; DK 92109779 T 19920610; ES 92109779 T 19920610; GR 960403273 T 19961212