

Title (en)

Austenitic stainless steel with high machine ability and improved cold work ability

Title (de)

Rostfreier austenitischer Stahl mit guter Zerspanbarkeit und verbesserten Kaltverformungseigenschaften

Title (fr)

Acier inoxydable austénitique à haute usinabilité et à déformation à froid améliorée

Publication

EP 0567365 B1 19970702 (FR)

Application

EP 93400903 A 19930406

Priority

FR 9204810 A 19920417

Abstract (en)

[origin: EP0567365A1] A weldable austenitic stainless steel with high machinability and improved cold workability, characterised in that its weight composition is the following: C lower than 0.1 %, Si lower than 2 %, Mn lower than 2 %, S lower than 0.03 %, Ni between 8 and 10 %, Cr between 15 and 25 %, P lower than or equal to 0.04 %, Mo lower than 0.5 %, Cu between 1 and 5 %, N between 0.02 and 0.07 %, Ca higher than 30x10⁻⁴ %, O higher than 70x10⁻⁴ %, Al lower than 50x10⁻⁴ %, the Ca/O ratio being between 0.3 and 0.6.

IPC 1-7

C22C 38/42; **C22C 38/00**

IPC 8 full level

C22C 38/00 (2006.01); **C22C 38/42** (2006.01)

CPC (source: EP US)

C22C 38/001 (2013.01 - EP US); **C22C 38/42** (2013.01 - EP US)

Cited by

EP0738783A1; FR2733252A1; EP0685567A1; FR2720410A1; EP0947591A1; FR2776306A1; US6123784A; EP0851039A1; FR2757878A1; US6106639A; EP0859064A1; FR2759709A1; AU734559B2; US6440579B1

Designated contracting state (EPC)

AT BE CH DE DK ES FR GB GR IT LI LU NL SE

DOCDB simple family (publication)

EP 0567365 A1 19931027; **EP 0567365 B1 19970702**; AT E154953 T1 19970715; CA 2094200 A1 19931018; CA 2094200 C 20020813; DE 69311839 D1 19970807; DE 69311839 T2 19971113; DK 0567365 T3 19980216; EG 19983 A 19961031; ES 2106297 T3 19971101; FI 103416 B1 19990630; FI 103416 B 19990630; FI 931733 A0 19930416; FI 931733 A 19931018; FR 2690169 A1 19931022; FR 2690169 B1 19940923; GR 3024678 T3 19971231; IL 105338 A0 19930818; IL 105338 A 19970218; NO 302830 B1 19980427; NO 931384 D0 19930415; NO 931384 L 19931018; TR 28589 A 19961104; US 5362439 A 19941108

DOCDB simple family (application)

EP 93400903 A 19930406; AT 93400903 T 19930406; CA 2094200 A 19930416; DE 69311839 T 19930406; DK 93400903 T 19930406; EG 23393 A 19930415; ES 93400903 T 19930406; FI 931733 A 19930416; FR 9204810 A 19920417; GR 970402324 T 19970910; IL 10533893 A 19930408; NO 931384 A 19930415; TR 28093 A 19930414; US 4694193 A 19930416