

Title (en)
MACHINABLE LEAD-FREE FORGING COPPER-CONTAINING ALLOYS

Publication
EP 0586197 A3 19940518 (EN)

Application
EP 93306792 A 19930826

Priority
US 93880992 A 19920901

Abstract (en)
[origin: EP0586197A2] Two-phase, alpha + beta , brasses are rendered lead-free while retaining properties - notably, hot working properties. Supplementing bismuth, as substituted for lead with either of the elements phosphorus or indium, assures retention of the hot working properties associated with the conventional, lead-containing "forging" and "architectural" brasses.

IPC 1-7
C22C 9/00; **C22F 1/08**

IPC 8 full level
C22C 9/04 (2006.01); **C22F 1/08** (2006.01)

CPC (source: EP)
C22C 9/04 (2013.01); **C22F 1/08** (2013.01)

Citation (search report)
• [X] EP 0457478 A1 19911121 - AMERICAN TELEPHONE & TELEGRAPH [US]
• [X] US 5137685 A 19920811 - MCDEVITT DAVID D [US], et al
• [X] DE 848708 C 19520908 - WIELAND WERKE AG
• [AD] 'CDA Handbook of Wrought Products, 8th edition' 1985 , COPPER DEVELOPMENT ASSOCIATION INC. , GREENWICH, CONN.

Cited by
ITUA20163561A1

Designated contracting state (EPC)
DE GB

DOCDB simple family (publication)
EP 0586197 A2 19940309; **EP 0586197 A3 19940518**; JP H06200340 A 19940719; MX 9305206 A 19940531

DOCDB simple family (application)
EP 93306792 A 19930826; JP 21722393 A 19930901; MX 9305206 A 19930827