

Title (en)

Method for preventing corrosion of a reinforced concrete structure.

Title (de)

Verfahren zur Korrosionsverhinderung einer armierten Betonstruktur.

Title (fr)

Méthode pour empêcher la corrosion d'une structure en béton armé.

Publication

EP 0591775 A1 19940413 (EN)

Application

EP 93115369 A 19930923

Priority

JP 26881892 A 19921007

Abstract (en)

A method for preventing corrosion of a reinforced concrete structure having a reinforcing steel embedded therein, which comprises coating an aggregate-containing primer on the surface of the reinforced concrete structure, to form a primer layer having a rough surface, metal-spraying aluminum, an aluminum alloy or a zinc-aluminum pseudo alloy on the primer layer to form a metal spray coating layer, and applying a direct current voltage across the metal spray coating layer as an anode and the reinforcing steel as a cathode to conduct a corrosion preventive current. <IMAGE>

IPC 1-7

C23F 13/00; C23F 13/16

IPC 8 full level

C23C 4/06 (2006.01); **C23F 13/00** (2006.01); **C23F 13/02** (2006.01); **C23F 13/16** (2006.01); **E04B 1/62** (2006.01); **E04C 5/01** (2006.01)

CPC (source: EP)

C23F 13/02 (2013.01); **C23F 13/16** (2013.01); **C23F 2201/02** (2013.01)

Citation (search report)

- [A] US 4931156 A 19900605 - DOWD JAMES P [US], et al
- [A] DE 3826926 A1 19900215 - HERAEUS ELEKTRODEN [DE]
- [AP] US 5225058 A 19930706 - BAZZONI BRUNO [IT], et al

Cited by

DE19828827C1; GB2485887A; GB2485887B; US6376102B1; US6224943B1; US6673309B1; WO2014067267A1; WO0000659A1; WO9950478A3; WO9923282A1; WO9600805A1

Designated contracting state (EPC)

DE FR GB NL

DOCDB simple family (publication)

EP 0591775 A1 19940413; EP 0591775 B1 19951220; CA 2106012 A1 19940408; DE 69301080 D1 19960201; DE 69301080 T2 19960801; JP 3040613 B2 20000515; JP H06116766 A 19940426

DOCDB simple family (application)

EP 93115369 A 19930923; CA 2106012 A 19930913; DE 69301080 T 19930923; JP 26881892 A 19921007