

Title (en)
MANUFACTURING PROCESS OF A COAXIAL CABLE.

Publication
EP 0612080 A3 19940907 (DE)

Application
EP 94101678 A 19940204

Priority
• DE 4304780 A 19930217
• US 34530194 A 19941128

Abstract (en)
[origin: US5515603A] A method for manufacturing a coaxial cable is described, whereby a dielectric layer (2) is extruded over an inner conductor (1), a lengthwise incoming metal strip (3) is formed into a tube, having a lengthwise slot around the insulated conductor (1, 2). The tube (3) is welded along the slot to thereby form a welded seam (4), and the welded tube is drawn down onto the surface of the dielectric layer (2). A metal strip (3a) having a plastic coating (3b) at least on one of its major surfaces is used to form the tube (3), and its lengthwise edges are welded by a laser (19).

IPC 1-7
H01B 13/26

IPC 8 full level
H01B 11/18 (2006.01); **H01B 13/016** (2006.01); **H01B 13/26** (2006.01)

CPC (source: EP US)
H01B 13/2633 (2013.01 - EP US); **H01B 13/2693** (2013.01 - EP US); **Y10T 29/49123** (2015.01 - EP US); **Y10T 29/53126** (2015.01 - EP US)

Citation (search report)
• [A] EP 0496231 A2 19920729 - KABELMETAL ELECTRO GMBH [DE]
• [A] FR 2440062 A1 19800523 - CABLES DE LYON GEOFFROY DELORE

Designated contracting state (EPC)
BE DE GB NL

DOCDB simple family (publication)
US 5515603 A 19960514; DE 4304780 A1 19940818; DE 4304780 C2 20010322; EP 0612080 A2 19940824; EP 0612080 A3 19940907;
EP 0612080 B1 19970409; JP H06251648 A 19940909

DOCDB simple family (application)
US 34530194 A 19941128; DE 4304780 A 19930217; EP 94101678 A 19940204; JP 1866494 A 19940215