

Title (en)
Treatment of steel cord

Title (de)
Behandlung eines Stahlseils

Title (fr)
Traitement d'un câble d'acier

Publication
EP 0627521 B1 19971119 (EN)

Application
EP 94200999 A 19940413

Priority

- EP 94200999 A 19940413
- EP 93201130 A 19930420

Abstract (en)
[origin: EP0627521A1] A steel cord (12) having steel filaments (2) twisted so as to have a final twist pitch, is subjected to a step (i) of plastically deforming the steel filaments (2) by overtwisting the steel cord (12) until a twist pitch which is smaller than the final twist pitch, a step (ii) of untwisting the steel cord (12) until the final twist pitch, a step (iii) of further untwisting the steel cord (12) until a twist pitch which is greater than the final twist pitch, a step (iv) of twisting the steel cord (12) again to its final twist pitch. Steps (i) and (ii) are done under a first tension and steps (iii) and (iv) are done under a second tension, the second tension is lower than half the first tension. <IMAGE>

IPC 1-7
D07B 3/10; D07B 7/02

IPC 8 full level
D07B 3/10 (2006.01); **D07B 7/02** (2006.01)

CPC (source: EP)
D07B 3/10 (2013.01); **D07B 7/022** (2013.01); **D07B 2207/206** (2013.01); **D07B 2207/4072** (2013.01)

Cited by
CN112813711A; FR2990962A1; CN104350201A; CN1109143C; CZ299927B6; US6151879A; CN1079863C; US6681555B1; WO2013174896A1; WO0148306A1; WO0056961A1; WO9712092A1

Designated contracting state (EPC)
AT BE DE ES FR GB IT LU

DOCDB simple family (publication)
EP 0627521 A1 19941207; EP 0627521 B1 19971119

DOCDB simple family (application)
EP 94200999 A 19940413