

Title (en)
R-Fe-B permanent magnet materials and process of producing the same

Title (de)
R-Fe-B Dauermagnetmaterialien und ihre Herstellungsverfahren

Title (fr)
Matériaux R-Fe-B pour aimants permanents et leurs procédé de fabrication

Publication
EP 0633581 B1 19980422 (EN)

Application
EP 93308184 A 19931014

Priority
• JP 19288693 A 19930706
• JP 20719093 A 19930728
• JP 20719193 A 19930728
• JP 20719293 A 19930728
• JP 21217193 A 19930803

Abstract (en)
[origin: EP0633581A1] It is an object of the present invention to provide R-Fe-B permanent magnet materials having a good oxidation resistance and magnetic characteristics, and a process of producing the same capable of pulverizing efficiently, whereby an R-Fe-B molten alloy having a specific composition is casted into a cast piece having a specific plate thickness and a structure, in which an R-rich phase is finely separated below 5 μ m, by a strip casting process, the cast piece is subjected to a Hydrogenation for spontaneous decay, and thereafter, an alloy powder is dehydrogenated and stabilized for pulverization so as to fractionize crystal grains of a main phase constituting an alloy ingot, thereby the powder having a uniform grain distribution can be produced at an efficiency of about twice as much as the conventional process, and the R-rich phase and an R₂Fe₁₄B phase are also fractionized at the time of pulverization, thus by magnetization by pressing after the orientation using a pulse magnetic field, a high performance R-Fe-B permanent magnet having, a good oxidation resistance and magnetic characteristics of the magnetic alloy, particularly, a total value A + B of a maximum energy product value (BH) max (MGOe); A and a characteristic value; B of a coercive force iH_c(kOe) of 59 or more and the squareness of demagnetization curve {(Br<2>)/(BH) max} of 1.01 to 1.045 is obtained.

IPC 1-7
H01F 1/053

IPC 8 full level
H01F 1/053 (2006.01); **B22F 3/04** (2006.01); **B22F 3/087** (2006.01); **H01F 1/057** (2006.01)

CPC (source: EP KR)
B22F 3/02 (2013.01 - EP); **B22F 3/04** (2013.01 - EP); **H01F 1/04** (2013.01 - KR); **H01F 1/057** (2013.01 - EP); **H01F 1/0573** (2013.01 - EP); **H01F 1/0577** (2013.01 - EP); **B22F 2202/05** (2013.01 - EP); **B22F 2998/10** (2013.01 - EP); **B22F 2999/00** (2013.01 - EP)

C-Set (source: EP)
1. **B22F 2998/10 + B22F 9/023 + B22F 3/04 + B22F 3/10**
2. **B22F 2999/00 + B22F 3/04 + B22F 2202/05**

Cited by
EP0706190A1; EP1030317A3; EP1845536A3; EP1059645A3; EP0753867A1; US5858123A; US5997804A; US6080245A; EP2722856A1; EP3410446A1; US10504640B2; US10002694B2; US11195644B2; US10573439B2; US8231740B2; US6322637B1; US6419723B2; US9994949B2; US10961615B2; US6319335B1; US6527822B2; US10072356B2; US6527874B2; US7955442B2; US9734947B2; US9715957B2; US10358716B2; US10692635B2; US11214862B2; US11217371B2; US7955443B2; US10068689B2; US11742117B2

Designated contracting state (EPC)
AT BE DE FR GB IT NL

DOCDB simple family (publication)
EP 0633581 A1 19950111; EP 0633581 B1 19980422; AT E165477 T1 19980515; CN 1076115 C 20011212; CN 1114779 A 19960110; DE 69318147 D1 19980528; DE 69318147 T2 19981112; KR 0131060 B1 19980424; KR 950004295 A 19950217; RU 2113742 C1 19980620; TW 272293 B 19960311

DOCDB simple family (application)
EP 93308184 A 19931014; AT 93308184 T 19931014; CN 93115008 A 19931015; DE 69318147 T 19931014; KR 930021615 A 19931015; RU 93049098 A 19931014; TW 82108554 A 19931015