

Title (en)
COATED TRANSPLANT AND METHOD FOR MAKING SAME.

Title (de)
BESCHICHTETES TRANSPLANTAT SOWIE HERSTELLUNGSVERFAHREN DAFÜR.

Title (fr)
TRANSPLANT REVETU ET PROCEDE DE FABRICATION CORRESPONDANT.

Publication
EP 0641183 A1 19950308 (EN)

Application
EP 93914321 A 19930526

Priority
• US 9305238 W 19930526
• US 89089692 A 19920529

Abstract (en)
[origin: US5470731A] Transplants are coated with an insoluble immunological barrier membrane. The membrane can comprise a non-cytotoxic first layer of agarose and cationic amino acid polymer and a non-cytotoxic second layer chemically bonded to said first layer, the second layer comprising an anionic amino acid polymer. The molecular weight of the anionic amino acid polymer is preferably in the range of 2000 to 500,000 daltons, and the thickness of the total membrane coating is within the range of 1 and 100 microns. Alternatively, the membrane can comprise a non-cytotoxic first layer of a cationic amino acid polymer. A non-cytotoxic second layer chemically bonded to the first layer comprises agarose and an anionic amino acid polymer. A non-cytotoxic optional third layer chemically bonded to said second layer comprises a cationic amino acid polymer. The molecular weight of the cationic acid polymer of the third layer is in the range of from 2,000 to 500,000 daltons and the thickness of the total coating is between 1 and 100 microns. The transplants can be allografts of endocrine cells or tissues such as pancreatic islets. The preferred cationic amino acids are L-lysine, poly-L-arginine, and mixtures thereof, and the preferred anionic amino acids are L-aspartic acid, L-glutamic acid, and mixtures thereof. The coatings are formed by applying corresponding successive solutions to the cells or tissue of the transplant and by forming droplets in immiscible oils.

IPC 1-7
A61F 2/02; **C12N 11/04**

IPC 8 full level
A61K 9/16 (2006.01); **A61K 9/50** (2006.01); **C12N 5/00** (2006.01); **C12N 5/071** (2010.01); **C12N 11/04** (2006.01); **A61K 35/12** (2015.01)

CPC (source: EP US)
A61K 9/1641 (2013.01 - EP US); **A61K 9/1652** (2013.01 - EP US); **A61K 9/5031** (2013.01 - EP US); **A61K 9/5073** (2013.01 - EP US); **C12N 5/0012** (2013.01 - EP US); **C12N 5/0677** (2013.01 - EP US); **C12N 11/04** (2013.01 - EP US); **A61K 2035/128** (2013.01 - EP US); **C12N 2533/30** (2013.01 - EP US); **C12N 2533/32** (2013.01 - EP US); **C12N 2533/76** (2013.01 - EP US)

Designated contracting state (EPC)
AT BE CH DE DK ES FR GB GR IE IT LI LU MC NL PT SE

DOCDB simple family (publication)
WO 9324076 A1 19931209; AT E207727 T1 20011115; AU 4402793 A 19931230; CA 2135769 A1 19931209; DE 69331058 D1 20011206; EP 0641183 A1 19950308; EP 0641183 A4 19970129; EP 0641183 B1 20011031; US 5470731 A 19951128; US 5531997 A 19960702

DOCDB simple family (application)
US 9305238 W 19930526; AT 93914321 T 19930526; AU 4402793 A 19930526; CA 2135769 A 19930526; DE 69331058 T 19930526; EP 93914321 A 19930526; US 25557794 A 19940608; US 46374795 A 19950605