

Title (en)

PROCESS FOR PHOSPHATIZING STEEL ZINC-COATED ON ONE SIDE ONLY.

Title (de)

VERFAHREN ZUR PHOSPHATIERUNG VON EINSEITIG VERZINKTEM STAHLBAND.

Title (fr)

PROCEDE DE PHOSPHATATION D'ACIER ZINGUE D'UN SEUL COTE.

Publication

**EP 0656957 A1 19950614 (DE)**

Application

**EP 93919089 A 19930818**

Priority

- DE 4228470 A 19920827
- EP 9302205 W 19930818

Abstract (en)

[origin: US5516372A] PCT No. PCT/EP93/02205 Sec. 371 Date Apr. 27, 1995 Sec. 102(e) Date Apr. 27, 1995 PCT Filed Aug. 18, 1993 PCT Pub. No. WO94/05826 PCT Pub. Date Mar. 17, 1994.A process for phosphating a galvanized surface of a steel strip electrolytically galvanized on one side by contacting the galvanized surface of the steel strip with a phosphating solution containing 1.0 to 6 g/l zinc, 0.5 to 5.0 g/l nickel and 14 to 25 g/l phosphate at a temperature of 40 DEG to 70 DEG C. for from 2 to 20 seconds. The ungalvanized surface remains metal bright.

IPC 1-7

**C23C 22/12**

IPC 8 full level

**C23C 22/12** (2006.01); **C23C 22/18** (2006.01); **C23C 22/22** (2006.01); **C23C 22/36** (2006.01)

CPC (source: EP KR US)

**C23C 22/12** (2013.01 - EP KR US); **C23C 22/184** (2013.01 - EP KR US); **C23C 22/188** (2013.01 - KR); **C23C 22/362** (2013.01 - EP US); **C23C 22/365** (2013.01 - KR); **C23C 22/77** (2013.01 - KR); **C23C 22/80** (2013.01 - KR)

Citation (search report)

See references of WO 9405826A1

Designated contracting state (EPC)

AT BE DE ES FR GB IT LU NL

DOCDB simple family (publication)

**US 5516372 A 19960514**; AT E150803 T1 19970415; DE 4228470 A1 19940303; DE 59305978 D1 19970430; EP 0656957 A1 19950614; EP 0656957 B1 19970326; JP H08501829 A 19960227; KR 950703075 A 19950823; WO 9405826 A1 19940317

DOCDB simple family (application)

**US 38793195 A 19950427**; AT 93919089 T 19930818; DE 4228470 A 19920827; DE 59305978 T 19930818; EP 9302205 W 19930818; EP 93919089 A 19930818; JP 50679893 A 19930818; KR 19950700721 A 19950224