

Title (en)

METHOD FOR MANUFACTURING A THIN SHEET FOR PRODUCING CANNING COMPONENTS

Title (de)

VERFAHREN ZUR HERSTELLUNG DÜNNER BLECHE, GEEIGNET FÜR DIE ANFERTIGUNG VON DOSENTEILEN

Title (fr)

PROCEDE DE FABRICATION D'UNE FEUILLE MINCE APTE A LA CONFECTION D'ELEMENTS CONSTITUTIFS DE BOITES

Publication

EP 0660882 B1 19990519 (FR)

Application

EP 94922899 A 19940711

Priority

- FR 9400861 W 19940711
- FR 9308987 A 19930716
- FR 9311814 A 19930929

Abstract (en)

[origin: US5616190A] PCT No. PCT/FR94/00861 Sec. 371 Date Apr. 24, 1995 Sec. 102(e) Date Apr. 24, 1995 PCT Filed Jul. 11, 1994 PCT Pub. No. WO95/02708 PCT Pub. Date Jan. 26, 1995The invention relates to a process for producing, by casting between rolls, an aluminum alloy sheet suitable for making up constituent elements of cans for food use, the aluminum alloy containing (by weight) between 1 and 4% of Mg and between 0 and 1.6% of Mn, the process being characterized in that said sheet is obtained by casting of said alloy in the liquid state between two rolls in the form of a strip having a thickness of at most 4 mm followed by at least one heat treatment at a temperature between 400 DEG and 580 DEG C. so that the sheet is at least partially recrystallized and cold-rolling to a final thickness of less than 0.3 mm. The sheet obtained has a yield stress, a formability index and a resistance of the coating to delamination which are improved and make it suitable for application to can manufacture and, in particular, to can lids.

IPC 1-7

C22C 21/06; C22F 1/047

IPC 8 full level

B22D 11/06 (2006.01); **C22C 21/06** (2006.01); **C22F 1/047** (2006.01)

CPC (source: EP US)

B22D 11/0622 (2013.01 - EP US); **C22C 21/06** (2013.01 - EP US); **C22F 1/047** (2013.01 - EP US)

Designated contracting state (EPC)

BE DE ES FR GB IT NL

DOCDB simple family (publication)

US 5616190 A 19970401; BR 9405520 A 19990908; CA 2144757 A1 19950126; CA 2144757 C 20040608; CN 1043580 C 19990609; CN 1113659 A 19951220; DE 69418581 D1 19990624; DE 69418581 T2 19991028; EP 0660882 A1 19950705; EP 0660882 B1 19990519; ES 2131696 T3 19990801; FR 2707669 A1 19950120; FR 2707669 B1 19950818; IL 110237 A0 19941021; IL 110237 A 19980222; JP 3689106 B2 20050831; JP H08501604 A 19960220; SA 94150111 B1 20050614; WO 9502708 A1 19950126

DOCDB simple family (application)

US 39706795 A 19950424; BR 9405520 A 19940711; CA 2144757 A 19940711; CN 94190606 A 19940711; DE 69418581 T 19940711; EP 94922899 A 19940711; ES 94922899 T 19940711; FR 9311814 A 19930929; FR 9400861 W 19940711; IL 11023794 A 19940707; JP 50437295 A 19940711; SA 94150111 A 19940803