

Title (en)
ALUMINIUM-SILICON-MAGNESIUM ALLOY HAVING IMPROVED DUCTILITY AND DEEP-DRAWING PROPERTIES, AND METHOD FOR PRODUCING SAME

Title (de)
AL-SI-MG-LEGIERUNG MIT VERBESSERTER DEHNBARKEIT UND TIEFZIEHEIGENSCHAFTEN UND VERFAHREN ZU DEREN HERSTELLUNG

Title (fr)
ALLIAGE DE TYPE ALUMINIUM-SILICIUM-MAGNESIUM A DUCTILITE ET EMBOUTISSABILITE AMELIOREES ET PROCEDE D'OBTENTION

Publication
EP 0679199 B1 19990602 (FR)

Application
EP 95901489 A 19941115

Priority
• FR 9401330 W 19941115
• FR 9313966 A 19931117
• FR 9401603 A 19940208

Abstract (en)
[origin: WO9514113A1] Aluminium-silicon-magnesium alloys having improved ductility and deep-drawing properties for use as sheet or strip, and a method for producing same, are disclosed. The sheet or strip is particularly suitable for deep-drawing and motor vehicle bodywork in particular. The claimed alloy has a chemical composition consisting of: 0.1-0.8 wt % Mn, 0.25-0.8 wt % Mg, 0.5-1.3 wt % Si, up to 0.9 wt % Cu, up to 0.5 wt % Fe, and other elements up to 0.5 wt % each and 0.15 in all, with the balance being Al. The sheet and strip are produced by casting, hot rolling under special reheating and rolling conditions, cold rolling, age-hardening, forming and curing of coatings, and optionally pre-tempering performed between quenching and age-hardening.

IPC 1-7
C22C 21/08; **C22F 1/05**

IPC 8 full level
C22C 21/00 (2006.01); **C22C 21/02** (2006.01); **C22C 21/08** (2006.01); **C22F 1/04** (2006.01); **C22F 1/043** (2006.01); **C22F 1/047** (2006.01); **C22F 1/05** (2006.01)

CPC (source: EP KR)
C22C 21/00 (2013.01 - EP); **C22C 21/02** (2013.01 - EP); **C22C 21/08** (2013.01 - EP KR); **C22F 1/04** (2013.01 - EP); **C22F 1/043** (2013.01 - EP); **C22F 1/047** (2013.01 - EP); **C22F 1/05** (2013.01 - EP KR)

Cited by
FR3065013A1; EP3967784A4; DE102005045340B4; US11649536B2; US11384418B2; US7491278B2; WO2018206696A1; WO2006037588A1; WO2018185425A1; US6267922B1

Designated contracting state (EPC)
CH DE FR GB IT LI

DOCDB simple family (publication)
WO 9514113 A1 19950526; BR 9406554 A 19960206; CA 2152402 A1 19950526; CA 2152402 C 20030923; DE 69418855 D1 19990708; DE 69418855 T2 19991007; EP 0679199 A1 19951102; EP 0679199 B1 19990602; FR 2713664 A1 19950616; FR 2713664 B1 19960524; JP H08505904 A 19960625; KR 960700353 A 19960119

DOCDB simple family (application)
FR 9401330 W 19941115; BR 9406554 A 19941115; CA 2152402 A 19941115; DE 69418855 T 19941115; EP 95901489 A 19941115; FR 9401603 A 19940208; JP 51425695 A 19941115; KR 19950702814 A 19950707