

Title (en)

Production and application of a shrinkable and shranked, permanently deformable textil material made out of hybrid yarn

Title (de)

Hybridgarn und daraus hergestelltes schrumpffähiges und geschrumpftes, permanent verformbares Textilmaterial, seine Herstellung und Verwendung

Title (fr)

Fabrication et utilisation d'un matériau textile retrécissable et retréci, mis en forme de manière permanente et réalisé à partir d'un fil hybride

Publication

**EP 0717133 A3 19970122 (DE)**

Application

**EP 95119533 A 19951212**

Priority

- DE 4444917 A 19941216
- DE 19506316 A 19950223

Abstract (en)

[origin: EP0717133A2] Hybrid yarn (I) consists of at least two sorts of filaments, in which the first type (A) has a max. dry heat shrinkage (DHS) of less than 7.5%, the second type (B) has a max. DHS of more than 10%, and the max. DHS stress is so large that the total shrinkage force of component (B) is sufficient to cause crimping of the low-shrinkage component (A), other types of filament (C) which may be present have max. DHS values of 2-200%, and at least one of the filament types (B) and/or (C) consists of thermoplastic filaments with a m.pt. at least 10 (pref. 20-100, esp. pref. 30-70) degrees C below the m.pt. of the low-shrinkage component. Also claimed is (i) textile sheet (II) consisting of or contg. a proportion of yarn (I) significantly affecting its shrinkage properties; (ii) permanently formable textile sheet (III) contg. (I), in which the low-shrinkage filaments (A) are crimped; (iii) fibre-reinforced mouldings (IV) contg. 20-90 (pref. 35-85, esp. pref. 45-75) wt.% sheet material made of low-shrink filaments embedded in 10-80 (pref. 15-45, esp. pref. 25-55) wt.% of a thermoplastic matrix, 0-70 (pref. 0-50, esp. pref. 0-30) wt.% other fibre components and up to 40 (pref. up to 20, esp. pref. up to 12) wt.% additives etc.; (iv) a process for the prodn. of (I) by swirling filaments (A) (low heat shrinkage), filaments (B) (high shrinkage) and opt. other types of filament (C) in a swirling appts.; (v) a process for the prodn. of textile sheet (II) by interweaving, knitting, laying down or matting yarn (I), opt. with other yarns, in an amt. sufficient to affect the shrinkage of the prod.; (vi) a process for the prodn. of formable sheet (III) by making textile sheet as in (v), and then shrinking it by 3-120% in at least one direction by heating at a temp. below the m.pt. of the lowest melting fibres or by infrared treatment; (vii) a process for the prodn. of moulded prods. (IV) by forming textile sheet at a temp. above the m.pt. of the thermoplastic filaments and below the m.pt. of the low-shrinkage filaments.

IPC 1-7

**D02G 3/40**

IPC 8 full level

**D02G 1/18** (2006.01); **C08J 5/04** (2006.01); **D01F 8/00** (2006.01); **D02G 3/04** (2006.01); **D02G 3/16** (2006.01); **D02G 3/18** (2006.01);  
**D02G 3/40** (2006.01); **D02J 1/08** (2006.01); **D03D 1/00** (2006.01); **D03D 15/00** (2006.01); **D03D 15/12** (2006.01); **D04B 1/00** (2006.01);  
**D04B 1/14** (2006.01); **D04B 21/00** (2006.01); **D04H 3/04** (2006.01); **D04H 3/14** (2006.01); **D06B 19/00** (2006.01); **D06C 7/00** (2006.01)

CPC (source: EP KR US)

**D02G 3/402** (2013.01 - EP KR US); **D04B 1/16** (2013.01 - EP KR US); **D04B 21/16** (2013.01 - EP KR US); **D10B 2331/021** (2013.01 - EP KR US);  
**D10B 2505/02** (2013.01 - EP KR US); **Y10T 428/2922** (2015.01 - EP US); **Y10T 428/2924** (2015.01 - EP US); **Y10T 428/2925** (2015.01 - EP US);  
**Y10T 428/2976** (2015.01 - EP US)

Citation (search report)

- [YPA] WO 9527606 A1 19951019 - SHAKESPEARE [US]
- [YA] DE 2539272 A1 19760318 - VYZK USTAV PLETARSKY
- [A] DE 4218860 A1 19931216 - CHEMNITZ TEXTILTECH FORSCH [DE]
- [A] EP 0138294 A2 19850424 - TEXTILE PRODUCTS INC [US]
- [A] PATENT ABSTRACTS OF JAPAN vol. 00, no. 00 21 October 1994 (1994-10-21)

Cited by

DE102011017328A1; DE102007028373A1; CN110846760A; EP1790762A3; EP3553213A3; DE102013014902A1; DE102013014902B4;  
DE102007028373B4; US5879800A; US6109016A; EP0761859A1; US5856243A; EP0801159A3; US7563735B2; WO2009052844A1;  
WO2012143076A1; US8640753B2; US8813467B2

Designated contracting state (EPC)

AT BE CH DE DK ES FR GB GR IE IT LI LU NL PT SE

DOCDB simple family (publication)

**EP 0717133 A2 19960619; EP 0717133 A3 19970122; EP 0717133 B1 20010321;** AT E199946 T1 20010415; AU 4045795 A 19960627;  
AU 693292 B2 19980625; CA 2165402 A1 19960617; CZ 332795 A3 19970917; DE 59509109 D1 20010426; DK 0717133 T3 20010423;  
ES 2154710 T3 20010416; FI 956013 A0 19951214; FI 956013 A 19960617; JP H08260276 A 19961008; KR 960023340 A 19960718;  
NO 955098 D0 19951215; NO 955098 L 19960617; PL 311862 A1 19960624; TW 382642 B 20000221; US 5688594 A 19971118

DOCDB simple family (application)

**EP 95119533 A 19951212;** AT 95119533 T 19951212; AU 4045795 A 19951214; CA 2165402 A 19951215; CZ 332795 A 19951215;  
DE 59509109 T 19951212; DK 95119533 T 19951212; ES 95119533 T 19951212; FI 956013 A 19951214; JP 32891995 A 19951218;  
KR 19950050865 A 19951216; NO 955098 A 19951215; PL 31186295 A 19951215; TW 84113476 A 19951215; US 57323595 A 19951215