

Title (en)

Flexible, weatherable, acrylic coating powder

Title (de)

Flexibles, bewitterbares Acrylbeschichtungspulver

Title (fr)

Poudre acrylique pour revêtement flexible résistant aux intempéries

Publication

EP 0730012 A3 19980603 (EN)

Application

EP 96301323 A 19960227

Priority

- US 39631395 A 19950228
- US 58011196 A 19960125

Abstract (en)

[origin: EP0730012A2] Coating powder compositions comprise (A) between 60 and 90 wt%, relative to total weight of (A) plus (B) plus (C), of an acrylic polymer having a weight average molecular weight of between 1000 and 30,000, a carboxylic acid equivalent weight of from 300 to 1000 and a glass transition temperature of 45 DEG C or above and (B) between 5 and 30 wt%, relative to total weight of (A) plus (B) plus (C) of an adduct prepared from (i) between 20 and 50 wt%, relative to total weight of (i) plus (ii), of a curing agent reactive with carboxylic acid groups and (ii) between 50 and 80 wt%, relative to total weight of (i) plus (ii), of a polyester resin formed primarily from linear aliphatic diols and dicarboxylic acids, the polyester having functional groups reactive with said curing agent (i), and (C) between 2 and 30 wt% relative to the total weight of (A) plus (B) plus (C) of a curing agent reactive with carboxylic acid groups. The sum of un-reacted functional groups of adduct (B) plus curing agent (C) is at a stoichiometric equivalent relative to said carboxylic acid functionality of said acrylic polymer (A) of between 0.5 and 1.5.

IPC 1-7

C09D 5/03; C09D 133/06

IPC 8 full level

C09D 5/03 (2006.01); **C09D 133/02** (2006.01); **C09D 133/06** (2006.01); **C09D 163/00** (2006.01); **C08L 63/00** (2006.01); **C08L 67/00** (2006.01)

CPC (source: EP)

C09D 133/064 (2013.01); **C08L 63/00** (2013.01); **C08L 67/00** (2013.01)

Citation (search report)

No relevant documents disclosed

Cited by

US6022927A; US6025030A; CN115160907A; US12060495B2

Designated contracting state (EPC)

AT BE CH DE ES FR GB IT LI NL SE

DOCDB simple family (publication)

EP 0730012 A2 19960904; EP 0730012 A3 19980603; EP 0730012 B1 19990616; AT E181349 T1 19990715; CA 2170325 A1 19960829; CA 2170325 C 20000704; DE 69602858 D1 19990722; DE 69602858 T2 19991021; ES 2135166 T3 19991016; JP 2960676 B2 19991012; JP H08319438 A 19961203; NZ 280915 A 19970324

DOCDB simple family (application)

EP 96301323 A 19960227; AT 96301323 T 19960227; CA 2170325 A 19960226; DE 69602858 T 19960227; ES 96301323 T 19960227; JP 4175796 A 19960228; NZ 28091596 A 19960131