

Title (en)

SINGLE-PACKAGE, DUROPLASTIC HARDENABLE COATING COMPOUND

Title (de)

EINKOMPONENTIGE, DUROPLASTISCH HÄRTENDE BESCHICHTUNGSMASSE

Title (fr)

COMPOSITION D'ENDUCTION DUROPLASTIQUE DURCISSABLE A UN SEUL COMPOSANT

Publication

EP 0750654 B1 19990210 (DE)

Application

EP 95913067 A 19950309

Priority

- DE 4408865 A 19940316
- EP 9500864 W 19950309

Abstract (en)

[origin: US6025438A] PCT No. PCT/EP95/00864 Sec. 371 Date Jan. 15, 1997 Sec. 102(e) Date Jan. 15, 1997 PCT Filed Mar. 9, 1995 PCT Pub. No. WO95/25147 PCT Pub. Date Sep. 21, 1995A one-component thermosetting coating composition containing of one or more chemically setting binders, at least one curing or crosslinking agent, and one or more toughening substances, the composition being semisolid and tackfree at temperatures <50 DEG C., wherein the chemically setting binders have an average molecular weight (+E,ovs M+EE w) of between 500 and 250,000, a melting point of more than 50 DEG C., a glass transition temperature of more than 20 DEG C. and cure fully at temperatures in the range from 80 to 250 DEG C. and in doing so reach at least 10% of the final strength within 15 seconds, wherein the binders have epoxide groups or ethylenically unsaturated groups as reactive groups, wherein the toughening substance is selected from the group consisting of butadiene-acrylonitrile copolymers having terminal carboxyl, epoxide, amino or ethylenically unsaturated groups or are highly branched aliphatic hydrocarbon epoxides, wherein at the least one curing or crosslinking agent is a metal complex of the general formula M(SR)_xBz in which M=a metal ion, L=a ligand, SR=an acid radical ion, B=a Lewis Base, x=a number from 1 to 8 and z=a number from 7 to 8, and wherein the composition may contain further additives, if desired.

IPC 1-7

C09D 163/00; C08G 59/18; C08G 59/68

IPC 8 full level

C09D 163/00 (2006.01); C08G 59/18 (2006.01); C08G 59/68 (2006.01); C09J 5/06 (2006.01); C09J 163/00 (2006.01); C08L 63/00 (2006.01)

CPC (source: EP US)

C09J 5/06 (2013.01 - EP US); C09J 163/00 (2013.01 - EP US); C08L 63/00 (2013.01 - EP US); C09J 2463/00 (2013.01 - EP US); Y10T 428/31529 (2015.04 - EP US)

Cited by

US6083558A; US10632707B2

Designated contracting state (EPC)

AT BE DE ES FR GB IT NL PT SE

DOCDB simple family (publication)

US 6025438 A 20000215; AT E176680 T1 19990215; BR 9507078 A 19970909; CA 2184915 A1 19950921; CA 2184915 C 20041207; CN 1066770 C 20010606; CN 1126740 A 19960717; CZ 270496 A3 19970115; CZ 292163 B6 20030813; DE 4408865 A1 19950928; DE 4408865 C2 20010517; DE 59505092 D1 19990325; EP 0750654 A1 19970102; EP 0750654 B1 19990210; ES 2129198 T3 19990601; JP H09510254 A 19971014; KR 100372372 B1 20030821; MX 9604083 A 19970930; WO 9525147 A1 19950921

DOCDB simple family (application)

US 71625097 A 19970115; AT 95913067 T 19950309; BR 9507078 A 19950309; CA 2184915 A 19950309; CN 95104041 A 19950316; CZ 270496 A 19950309; DE 4408865 A 19940316; DE 59505092 T 19950309; EP 9500864 W 19950309; EP 95913067 A 19950309; ES 95913067 T 19950309; JP 52381895 A 19950309; KR 19960705115 A 19960916; MX 9604083 A 19950309