

Title (en)

METHOD FOR MAKING AISiMgCu ALLOY PRODUCTS HAVING ENHANCED INTERCRYSTALLINE CORROSION RESISTANCE

Title (de)

VERFAHREN ZUR HERSTELLUNG VON GEGENSTÄDEN AUS AISiMgCu-LEGIERUNG MIT VERBESSERTEM
INTERKRISTALLINKORROSIONSWIEDERSTAND

Title (fr)

PROCEDE DE FABRICATION DE PRODUITS EN ALLIAGE ALSIMGCCU A RESISTANCE AMELIOREE A LA CORROSION INTERCRYSTALLINE

Publication

EP 0787217 A1 19970806 (FR)

Application

EP 95936606 A 19951024

Priority

- FR 9501412 W 19951024
- FR 9413047 A 19941025

Abstract (en)

[origin: WO9612829A1] A method for making high-strength rolled or extruded AlSiMgCu aluminium alloy products desensitised to intercrystalline corrosion, comprising a step of casting a plate or billet having the following composition: Si 0.7-1.3 %, Mg 0.6-1.1 %, Cu 0.5-1.1 %, Mn 0.3-0.8 %, Zr < 0.20 %, Fe < 0.30 %, Zn < 1 %, Ag < 1 %, Cr < 0.25 %, others < 0.05 % each and < 0.15 % in all, with the balance being aluminium and Mg/Si < 1; a homogenising step at 470-570 DEG C; a hot and optionally cold working step; solution treatment at 540-570 DEG C; a hardening step; and a tempering step including at least one temperature plateau at 120-250 DEG C, preferably 165-220 DEG C, the overall process length measured in equivalent time at 175 DEG C being 30-300 hours. A product having the composition given above and a conductivity, when desensitised to intercrystalline corrosion, at least 0.5 MS/m higher than in state T6, is also disclosed. Such products are particularly suitably for making structural members for aircraft fuselages or rail or road vehicles.

IPC 1-7

C22F 1/05; C22C 21/08; C22F 1/057

IPC 8 full level

C22F 1/00 (2006.01); **C22C 21/02** (2006.01); **C22C 21/08** (2006.01); **C22F 1/05** (2006.01); **C22F 1/057** (2006.01)

CPC (source: EP KR US)

C22C 21/08 (2013.01 - EP KR US); **C22F 1/05** (2013.01 - EP KR US); **C22F 1/057** (2013.01 - EP US)

Citation (search report)

See references of WO 9612829A1

Cited by

CN111961928A; EP2789707A1; FR2856368A1; EP3214191A1; EP1143027B1; EP0902842B2

Designated contracting state (EPC)

DE FR GB

DOCDB simple family (publication)

WO 9612829 A1 19960502; CA 2202184 A1 19960502; DE 69502508 D1 19980618; DE 69502508 T2 19980910; EP 0787217 A1 19970806; EP 0787217 B1 19980513; FR 2726007 A1 19960426; FR 2726007 B1 19961213; JP H10512924 A 19981208; KR 970707314 A 19971201; US 5858134 A 19990112

DOCDB simple family (application)

FR 9501412 W 19951024; CA 2202184 A 19951024; DE 69502508 T 19951024; EP 95936606 A 19951024; FR 9413047 A 19941025; JP 51370096 A 19951024; KR 19970702642 A 19970422; US 80970497 A 19970404