

Title (en)

Method of forming electrodes of a dielectric filter

Title (de)

Verfahren und Herstellung von Elektroden eines dielektrischen Filters

Title (fr)

Procédé de fabrication des électrodes d'un filtre diélectrique

Publication

EP 0817302 A2 19980107 (EN)

Application

EP 97304118 A 19970612

Priority

JP 19391496 A 19960703

Abstract (en)

There is disclosed a method of forming electrodes of a dielectric filter (1). First, a ceramic block (2) having concave portions (20a, 20b) is formed. The concave portions (20a, 20b) have planar shapes corresponding to those of auxiliary conductors (6) and extension conductors (10) to be formed. Subsequently, an electrode layer (21) is formed over the entire open end surface (8) through dipping or the like. After that, the open end surface (8) is ground to a depth smaller than the depth of the concave portions (20a, 20b) so as to leave the electrode layer (21) within only the concave portions (20a, 20b). Accordingly, the shapes of the conductors (6, 10) can be defined accurately by the concave portions (20a, 20b), and neither blur nor patchiness occurs. <IMAGE>

IPC 1-7

H01P 1/205; **H01P 11/00**

IPC 8 full level

H01P 1/205 (2006.01); **H01P 7/04** (2006.01); **H01P 11/00** (2006.01)

CPC (source: EP)

H01P 1/2056 (2013.01); **H01P 11/007** (2013.01)

Cited by

FR2804795A1; EP1947731A1; EP0997964A3; US6549095B2; US6504455B2

Designated contracting state (EPC)

AT BE CH DE DK ES FI FR GB GR IE IT LI LU MC NL PT SE

DOCDB simple family (publication)

EP 0817302 A2 19980107; **EP 0817302 A3 19981118**; JP H1022710 A 19980123

DOCDB simple family (application)

EP 97304118 A 19970612; JP 19391496 A 19960703