

Title (en)

Manufacturing process of a soft magnetic iron based alloy component with nanocrystalline structure

Title (de)

Herstellungsverfahren für eine auf Eisen basierende weichmagnetische Komponente mit nanokristalliner Struktur

Title (fr)

Procédé de fabrication d'un composant magnétique en alliage magnétique doux à base de fer ayant une structure nanocrystalline

Publication

EP 0848397 B1 20020918 (FR)

Application

EP 97402667 A 19971107

Priority

FR 9615197 A 19961211

Abstract (en)

[origin: EP0848397A1] The production of a magnetic component from a nanocrystalline iron based soft magnetic alloy of composition (in at. %) \geq 60 % Fe, 0.1-3 % Cu, 0-25 % B, 0-30 (preferably \leq 14) % Si, 0.1-30 % one or more of Nb, W, Ta, Zr, high-frequency, Ti and Mo and balance impurities, the sum of Si + B being 5-30 %, involves producing a toroidal preform by winding an amorphous strip of the alloy around a mandrel and carrying out one or more crystallisation anneal processes at 500-600 degrees C for 0.1-10 hrs. to form nanocrystals. The novelty comprises carrying out a relaxation heat treatment at below the crystallisation start temperature prior to crystallisation annealing.

IPC 1-7

H01F 41/02; H01F 1/153

IPC 8 full level

C21D 1/26 (2006.01); **C22C 38/00** (2006.01); **C21D 6/00** (2006.01); **C22C 38/16** (2006.01); **H01F 1/153** (2006.01); **H01F 41/02** (2006.01)

CPC (source: EP US)

H01F 1/15333 (2013.01 - EP US); **H01F 1/15341** (2013.01 - EP US); **H01F 41/0226** (2013.01 - EP US); **Y10S 977/833** (2013.01 - EP US)

Cited by

CN105695704A; US8699190B2; US10538825B2

Designated contracting state (EPC)

AT BE CH DE DK ES FI FR GB GR IE IT LI LU MC NL PT SE

DOCDB simple family (publication)

EP 0848397 A1 19980617; EP 0848397 B1 20020918; AT E224582 T1 20021015; AU 4519997 A 19980618; AU 731520 B2 20010329; CN 1134034 C 20040107; CN 1185012 A 19980617; CZ 293837 B6 20040818; CZ 398397 A3 19980715; DE 69715575 D1 20021024; DE 69715575 T2 20030522; ES 2184047 T3 20030401; FR 2756966 A1 19980612; FR 2756966 B1 19981231; HK 1010938 A1 19990702; HU 216168 B 19990428; HU P9702383 A2 19980728; HU P9702383 A3 19980828; JP H10195528 A 19980728; KR 19980064039 A 19981007; PL 184208 B1 20020930; PL 323663 A1 19980622; SK 161897 A3 19981202; SK 284008 B6 20040707; TR 199701599 A2 20000721; TR 199701599 A3 20000721; TW 561193 B 20031111; US 5911840 A 19990615; ZA 9710780 B 19980612

DOCDB simple family (application)

EP 97402667 A 19971107; AT 97402667 T 19971107; AU 4519997 A 19971114; CN 97125366 A 19971210; CZ 398397 A 19971209; DE 69715575 T 19971107; ES 97402667 T 19971107; FR 9615197 A 19961211; HK 98112053 A 19981117; HU P9702383 A 19971210; JP 36222397 A 19971211; KR 19970067847 A 19971211; PL 32366397 A 19971211; SK 161897 A 19971128; TR 9701599 A 19971211; TW 86116891 A 19971113; US 98908397 A 19971211; ZA 9710780 A 19971201